

**ARTIKEL-NUMMER: NF35F****Oil Grip FC - NF35F**

Handhabung von feinen Teilen in fettiger, öliger oder feuchter Atmosphäre.

Honeywell

Überblick

Artikelnummer

NF35F

Produkttyp

Handschuhe

Programm

Allgemeine Anwendung

Produktlinie

Umgang mit leichten und mittelschweren Gütern

Marke

Honeywell

Marke vorher bekannt als

NORTH

Branche

- Bauindustrie
- Offshore
- Schiffbau
- Transportwesen
- Wartung und Instandhaltung
- Stahl- und Metallindustrie
- Mining and Quarrying

Produktverwendung

Handhabung von feinen Teilen in fettiger, öliger oder feuchter Atmosphäre.

Eigenschaften und Nutzen

Funktion

Strickhandschuh aus grünem Polyamid Doppellagig getauchte schwarze Nitrilbeschichtung Strickbund

Nutzen

KOMFORT Der ergonomische nahtlose Strickaufbau passt sich besser an die natürliche Form der Hand an und ermöglicht so mehr Festigkeit und Haltbarkeit sowie überlegenen Komfort und beste Belüftung. Durch ihren ergonomische nahtlose Aufbau passen sich die Handschuhe an die natürliche Form der Hand an und ermöglichen dadurch komfortable Passform und ermöglichen längeren Einsatz und weniger Ermüdung. **BESTÄNDIGKEIT** Für empfindlichste Anwendungen reduziert das Polyamid-Garn die Entstehung von Fusseln, und es kann für längere Nutzung einfach gewaschen werden. Das zweifache Tauchen in Nitril sorgt für hervorragenden Schutz gegen Flüssigkeiten (Öl, Wasser) und eine sehr gute Griffigkeit, da Mikrokapillaren das Öl und Wasser von der Oberfläche fortziehen. Sie müssen weniger Druck aufwenden, um ein öliges Werkstück zu halten. **HYGIENE** Durch seine dunklen Farben wirkt der Handschuh weniger schmutzig.

Technische Beschreibung

Beschreibung

Strickhandschuh aus grünem Polyamid Doppellagig getauchte schwarze Nitrilbeschichtung Strickbund

Produkttechnologie

Gestrickt und getaucht

Strickstärke

13

Handschuh-/Trikotfarbe

Grün / schwarz

Beschichtungstyp

Nitrile

Länge

25 cm

Unbedenklichkeit

Übereinstimmung mit den europäischen Standards

Tastgefühl

Class 5

Größen

7S, 8M, 9L, 10XL, 11XXL

EN 388 - Mechanische Gefahren und Abriebfestigkeit

Abriebfestigkeit	4
Schnittbeständigkeit (Coupe-Test)	1
Reißfestigkeit	3
Durchstichfestigkeit	1

Verpackungsetikett

Kennzeichnung

CE Honeywell NF35F XX EN 420 EN 388 : 4131

Zertifizierungen

EU-Konformitätserklärung

EG-Kategorie PSA

2

EG-Zertifizierungsnummer

0075/797/162/02/13/0155

EG-Baumusterprüfbescheinigung

EC Attestation

Nr. EG-Baumusterprüfbescheinigung

0075/797/162/02/13/0155

Zertifizierungen

- EN 0075/797/162/02/13/0155

Zusätzliche Informationen

Benutzerhandbuch

UI 102

Wartung und Instandhaltung

Informationen zur Aufbewahrung

Kleinste Verpackungseinheit: 12 Paare Kartons mit 144 Paaren

Pflegeanleitung

Dieser Artikel kann gereinigt werden. Hinweise zur Reinigung erhalten Sie bei Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/02/13/0155

To the following model of personal protective equipment :

- * protective glove against mechanical risks and other risks.
- * reference of the model : NF35F
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on February 22th, 2013

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : NF35F

Basic Model

Dated : FEBRUARY 2013

Glove seamless /Nylon dark green liner fully coated with black nitrile. Knitwrist polyamide nylon /elastic rubber.
Red T07-S/ green T08-M / brown T09-L / blue T10-XL / black T11-XXL

Available sizes :

07-S 08-M 09-L 10-XL 11-XXL

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Dark green	Polyamide	15	
	Black	Nitrile		1,70mm
BACK	Dark green	Polyamide	15	
	Black	Nitrile		1,70mm
LINING				
CUFF	Dark green	Polyamide	15	
	Black	Elastic rubber	15	
BINDING	Red/green/brown/blue/black	Polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1207-11220/1 1302-1903/1	
Azo		1207-11220/1 1301-1264/1	
EN 388		1207-11220/1	
OTHER		11207-11220/1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: NF35F
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





EU-Konformitätserklärung

Der Hersteller oder sein in der EU als gesetzlicher Vertreter handelnder Lieferant:

Honeywell Safety Products Europe

Erklärt, dass die im Folgenden beschriebene Persönliche Schutzausrüstung die Richtlinien der Direktive des Europäischen Rates erfüllt 89/686/CEE:

Bezeichnung: Oil Grip FC - NF35F

Referenz: NF35F

Standard(s): EN 388, EN 420

Für diese PSA gilt die folgende EU-Prüfbescheinigung Nr.:

0075/797/162/02/13/0155

Ausgestellt von:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Ort, Datum: Lyon, 13/12/2018

Ausgestellt von: Fabrice beaugeard

Abteilung: Handschuhe

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital de 200 000 € - N° SIRET 331 499 079 80
Tel: +33 1 49 90 79 79 Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com