

#### PRODUCT NUMBER: 2009810 FINEDEX ® 098-10 PVC SOFT

General maintenance, cleaning. Collective catering. Standard work in contact with chemicals. Maintenance.

## Honeywell

Overview
Reference Number 2009810
Product Type Gloves
Range Chemical Protection
Line Liquidproof
Brand Honeywell
Brand formerly known as SPERIAN
Industry
<ul> <li>Building and Construction</li> <li>Catering</li> <li>Chemical Industries</li> <li>Industrial Cleaning</li> <li>Laboratory</li> <li>Medical and Pharmaceutical</li> <li>Printing Industries</li> <li>Ship Building</li> <li>Water treatment</li> </ul>

#### **Product Use**

General maintenance, cleaning. Collective catering. Standard work in contact with chemicals. Maintenance.

#### **Features & Benefits**

#### Feature

Blue PVC glove Flocked interior Diamond-patterned finish

#### Benefit

COMFORT

Made from high quality PVC, outstanding flexibility and dexterity are ensured. The cotton flocked interior provides the user with greater comfort. Diamond finish is tailored for grasping dry and damp objects.

#### FINEDEX ® 098-10 PVC SOFT - 2009810

#### RESISTANCE

Its PVC composition has been tailored for multi-purpose and repetitive handling in an oily atmosphere. Low resistance to ketones, aromatic and halogen hydrocarbons.

#### SAFETY

The cuff helps to protect a large part of the forearm.

#### **Technical Description**

#### Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-03 EEC Basic standards EN 388-03 Mechanical hazards EN 374-2003 Chemical risks and against micro-organisms

CHARACTERISTICS : Unlined blue PVC glove Flocked coton and diamond-pattern finish

#### **Product Technology**

**Dipped Gloves** 

Glove/liner color Blue

Coating Type PVC

Length 33 cm

Thickness 0.5/1 mm

Harmlessness In conformity with the European standards

Dexterity Class 5

#### Sizes

7 to 9

#### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	Х
Tear resistance	Х
Puncture resistance	Х

#### **Packaging Label**

**Tagging** CE HONEYWELL 2009810 XX EN 420 EN 388 : 3XXX EN 374-2

#### Certifications

E.C. Declaration of Conformity EC Category PPE 3 EC Certificate Number 0075/797/162/01/09/0051

EC Attestation EC Attestation

**EC Attestation Number** 0075/797/162/01/09/0051

#### **Additional Information**

User Manual UI 103 User Information Sheet 103

Maintenance

**Storage Information** Minimum packaging 10 pairs. Cartons of 100 pairs.

Care Instructions In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

### СТС

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF

9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

#### registered under the number 0075, published in OJEC, delivers :

## CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/09/0051

To the following model of personal protective equipment

\* protective glove against mechanical risks, low chemical risks

\* reference of the model 20 098 10

\* responsible for placing on the market

#### HONEYWELL SAFETY PRODUCTS EUROPE SAS Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 1st, 2009 Update 02 of July 5th, 2012

Issued by Nadine PIPAZ

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 03 Reference : 20 098 10 Basic Model Dated : JULY 2012

5 fingers PVC glove. Flocked inside, diamond finishing,

## Available sizes :

07 08 09 10

## Visual description :



## Material :

	Colour	Material	Gauges	Thikness
PALM	Blue	PVC		0,5-1 mm
BACK	Blue	PVC		0,5-1 mm
LINING	Natural	Cotton flocked		
CUFF	Blue	PVC		0,5-1 mm
BINDING				



## 2. PROTECTION SCOPE

# Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

* EN 420:2003+A1:2009	<ul> <li>General requirements for gloves and test methods</li> </ul>
* EN 388:2003	<ul> <li>Protective glove against mechanical risks</li> </ul>
* EN 374-2:2003	<ul> <li>Protection gloves against chemicals and micro-organisms</li> </ul>
* EN 374-3 : 2003	<ul> <li>Protection gloves against chemicals and micro-organisms - one product tested</li> </ul>
* Innocuousness	<ul> <li>At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).</li> </ul>

This product is a category III (letal or irreversible risk), this glove offers a low chemical protection.

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1204-5900/1	
EN 388		1004-4817/1 1204-6059/1 1204-5900/1	
EN 374-2		0812-14105/1 1204-5900/1	
EN 374-3			

### Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	Х	Х	Х

The levels of performance have been measured on the palm

« X » means that the test hasn't been performed ; no protection is required



# Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

## Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	Sulfuric Acid 4M			
Letter code of the product	L			
Permeation performance levels	6			



## Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* CE marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- \* reference of the model: 20 098 10
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for chemicals risks
- \* information pictogram

## Marking example:





## **E.C.** Declaration of Conformity

<u>The manufacturer or its legal representative supplier in the European Community:</u> Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE: Designation: FINEDEX ® 098-10 PVC SOFT Reference: 2009810 Standard(s): EN 374-2, EN 388, EN 420

This PPE is the object of the below EC examination certificate n°: 0075/797/162/01/09/0051

Delivered by: CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 LYON Cedex 07 France

Drawn up in Lyon, on the 26/09/2018 **By**: Fabrice beaugeard **Division**: Gloves



Zl Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com