



PRODUCT NUMBER: 2232272  
POLYTRIL™ AIR 3/4

**Honeywell**

## Overview

**Reference Number**

2232272

**Product Type**

Gloves

**Range**

General purpose

**Line**

Light & medium handling

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Logistics
- Maintenance
- Transportation

**Product Use**

Handling of fine products in a greasy, damp or dirty atmosphere.

## Features & Benefits

**Feature**

Black polyamide knitted glove. Black foam nitrile coating on the palm and fingers. Open back. Elasticated knitted wrist. Gauge 13. Length : 24,5 cm.

**Benefit**

**COMFORT** The ergonomics seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior confort and ventilation. The filament yarn reduce linting for the most sensitive applications and easily laundered for extended use. The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch. The foamy coating and ventilated back optimise the glove's breathability. The nitrile foam improves the grip. The knitted and elasticated wrist gives the glove good support. **RESISTANCE** The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils. **HYGIENE** The black colour is

suitable for work in a soiled atmosphere.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks In accordance with standards: EN 420-2003 Basic standards EN 388-2003  
Mechanical hazards CHARACTERISTICS : Black polyamide knitted glove. Black foam nitrile coating on the palm and fingers. Open back. Elasticated knitted wrist.

### Product Technology

Knitted Coated

### Gauge

13

### Coating Type

Nitrile foam

### Length

24,5 cm

### Harmlessness

In conformity with the European standards.

### Dexterity

Class 5

### Sizes

7 to 11

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

## Packaging Label

### Tagging

CE HONEYWELL

2232272 XX

EN 420

EN 388 : 4121

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

N°0075/797/162/05/07/0193

#### EC Attestation

EC Attestation

#### EC Attestation Number

N°0075/797/162/05/07/0193

## Additional Information

### User Manual

UI 102

### User Information Sheet

102

## Maintenance

### Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

### Care Instructions

This article can be cleaned. For cleaning instructions, please contact Sperian Protection gloves.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/05/07/0193 - EXT 01/01/08

To the following model of personal protective equipment :

\* protective glove against mechanical risks.

\* reference of the model : 22 322 72

\* responsible for placing on the market :

### HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 14th, 2008

Update 03 of June 20th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04  
 Reference : 22 322 72  
 Minor Variant of the model :2232270  
 Dated : JUNE 2012

Knitted black polyamid glove with 3/4 black Nitrile coating on the palm and fingers  
 The overlock color indicate the size : T07-Red, T08-Blue, T09-Yellow, T10-White.

### Available sizes :

7    08    09    10

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	Black	Polyamid yarn	13	
	Black	Nitril foam		1,05mm
BACK	Black	Polyamid yarn	13	
LINING				
CUFF	Black	Polyamid yarn	13	
	Black	Elastic Rubber	13	
BINDING	green/red/blue/yellow/white	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1111-16372/2 1111-16377/2	
Azo		1008-10045/2 1111-16377/2	
EN 388		0703-3423 1001-629/1 1006-8285/1 1111-16377/2	1106-7634/1 1111-16377/2

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1


The levels of performance have been measured on the palm

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 22 322 72
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: POLYTRIL™ AIR 3/4

Reference: 2232272

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

N°0075/797/162/05/07/0193

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

**By:** Fabrice Beaugeard

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)