



PRODUCT NUMBER: 2232524

SHARPFLEX Nit

Handling of heavy parts with high cut risks in oily or greasy environment.

Honeywell

Overview

Reference Number

2232524

Product Type

Gloves

Range

cutandpunctureprotection

Line

Cut resistant

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Iron and steel industry
- Logistics

Product Use

Handling of heavy parts with high cut risks in oily or greasy environment.

Features & Benefits

Feature

Knitted glove in composite and para-aramid yarn.

Benefit

The knitting technique provides the glove with excellent fit and high dexterity.

The composite yarn is reliable and safe protection.

The para-aramid yarn assure a resistance to the contact heat and cut risks.

Feature

Plated polyamide inside

Benefit

Offer a greater comfort and limit the contact of the skin with composite fiber

Feature

Black nitrile foam coating on palm.

Benefit

Nitrile coating provides good protection against oil and grease. The foam coating makes the glove more flexible than standard nitrile.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-03 EEC Basic standards
 EN 388-03 Mechanical hazards

CHARACTERISTICS :Knitted glove in composite and para-aramid yarn.
 Plated polyamide.
 Black nitrile foam coating on palm.

Product Technology

Knitted dipped

Fiber

Para-aramid and composite

Gauge

13

Glove/liner color

Yellow and green

Coating Type

Nitrile foam

Coating Color

black

Length

25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 11

EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4

Puncture resistance

2

Packaging Label

Tagging

CE HONEYWELL
2232524 XX
EN 420
EN 388 : 4542
EN407 : X1XXXX

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/04/13/0288

EC Attestation

AET_2232524_Honeywell 2013

EC Attestation Number

0075/797/162/04/13/0288

Additional Information

User Manual

UI 106

User Information Sheet

106

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions please contact Honeywell safety products



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/04/13/0288

To the following model of personal protective equipment :

* protective glove against mechanical risks, thermal risks.

* reference of the model : 22 325 24

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

**Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on April 08th, 2013

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : 22 325 24
 Basic Model
 Dated : MARCH 2013

5 fingers knitted glove, with polyamide/glass fiber/para aramide yarns. Nitrile coating on the palm and fingertips. Overlock T6-Green / T7- Red / T8-Blue / T9-Yellow / T10 - White / T11- Orange.

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Yellow/green	Polyamide/Para aramide/Elasthane/Clous / Resinpolyester	13	
	Black	Nitrile		1,7mm
BACK	Yellow/green	Polyamide/Para aramide/Elasthane/Clous / Resinpolyester	13	
LINING				
CUFF	Yellow/green	Polyamide/Para aramide/Elasthane/Clous / Resinpolyester	13	
	Natural	Elastic rubber 175	13	
BINDING	Green/Red/Blue/Yellow/White/Orange	PES		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 407:2004 - Protective gloves against thermal risks
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1302-2262/1	
Azo		1302-2502/1 1302-3335/1	
EN 388		1302-2502/1 1302-3335/1	
EN 407		1008-10045/2 1106-7634/1 1302-2500	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	2

The levels of performance have been measured on the palm

Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
X	1	X	X	X	X


« X » means that the test hasn't been performed ; no protection is required

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 22 325 24
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for thermal risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:
Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: SHARPFLEX Nit
Reference: 2232524
Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:
0075/797/162/04/13/0288

Delivered by:
CENTRE TECHNIQUE DU CUIR
4 rue Hermann Frenkel
69367 LYON Cedex 07
France

Drawn up in Roissy, on the 17/12/2018
By: Fabrice beaugeard
Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital de 200 000 000 - RCS 331 499 079 80
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France
Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80
www.honeywellsafety.com