



**PRODUCT NUMBER: 2400250**  
**PERFECT POLY® GREY**

Handling fine products in a dry or slightly greasy or soiled environment.

**Honeywell**

**Overview**

**Reference Number**

2400250

**Product Type**

Gloves

**Range**

General purpose

**Line**

Precision work

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Logistics
- Maintenance
- Telecoms

**Product Use**

Handling fine products in a dry or slightly greasy or soiled environment.

**Features & Benefits**

**Feature**

Grey polyamide knitted glove

Grey polyurethane coating on the palm

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back and PU coating optimise the glove's breathability.

RESISTANCE

Polyamide with its polyurethane coating provide excellent abrasion and tear resistance. The PU coating ensures a good grip.

**SAFETY**

Non pilling, the polyamide is suitable for precision work. The gloves are certified as "silicone-free" to ensure their use in painting.

**HYGIENE**

Its dark colour makes it more soilproof, thus ensuring a longer life.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standards

EN 388-2003 Mechanical risks

**CHARACTERISTICS :**

Grey polyamide knitted glove

Grey polyurethane coating on the palm

**Product Technology**

Knitted Coated

**Gauge**

15

**Glove/liner color**

Grey

**Coating Type**

Polyamide and polyuréthane

**Length**

25 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

6 to 11

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

**Packaging Label**

**Tagging**

CE HONEYWELL

2400250 XX

EN 420

EN 388 : 4121

**Certifications**

**E.C. Declaration of Conformity**

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/11/06/0277

**EC Attestation**

EC Attestation

**EC Attestation Number**

0075/797/162/11/06/0277

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France  
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr  
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z -  
TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/11/06/0277

To the following model of personal protective equipment :

- \* protective glove against                      mechanical risks.
- \* reference of the model :    24 002 50
- \* responsible for placing on the market :

### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on November 14th, 2006  
Update 03            of            September 17th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04  
 Reference : 24 002 50  
 Basic Model  
 Dated : AUGUST, 2012

Knitted glove with grey polyamid yarn. Grey, PU coating on the palm and fingertips.+ overlock T06/Green, T07/Red, T08/Blue, T09/Yellow, T10/White, T11/Orange

### Available sizes :

06      07      08      09      10      11

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	Grey	polyamid yarn	13	
	Grey	PU Coating		0,8mm
BACK	Grey	polyamid yarn	13	
LINING				
CUFF	Grey	polyamid yarn	13	
	Grey	elastic rubber	13	
BINDING	Green/ Red/ Blue/ Yellow/ White/ Orange	polyester yarn		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1111-15919/1 1112-16900/1	1106-7634-1 1111-15919/1
Azo		1008-10045/2 1111-15919/1	
EN 388		0809-9619/1 1010-13187/1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1


The levels of performance have been measured on the palm

### 3. MARKING

Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 24 002 50
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

Marking example:





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: PERFECT POLY® GREY

Reference: 2400250

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/11/06/0277

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

**By:** Fabrice Beaugeard

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 50288 Villepinte - 95988 ROISSY CDG CEDEX  
SAS au capital de 200 000 € - N° SIRET 3331 4990 7980  
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)