



PRODUCT NUMBER: R50X
Redcote Plus - R50X

Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.

Honeywell

Overview

Reference Number

R50X

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

NORTH

Industry

- Agriculture
- Chemical Industries
- Petro-chemical
- Water treatment

Product Use

Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.

Features & Benefits

Feature

Red PVC glove Dipped on cotton liner Smooth finish

Benefit

COMFORT The cotton interlock lining absorbs hand perspiration for added comfort. Its smooth finish offers an excellent touch and increases dexterity. The glove's articulated fingers offer superior comfort and reduce effort in cases extended use. **RESISTANCE** Its PVC composition has been tailored for multi-purpose and repetitive handling in an oily atmosphere. The cotton interlock lining strengthens the glove's mechanical performance. Low resistance to ketones, aromatic and halogene hydrocarbons. **SAFETY** As a result of its superior quality PVC and being part of PPE Class III, it ensures excellent follow-up on quality. The cuff helps to protect a part of the forearm. **HYGIENE** Sanitized treatment

Technical Description

Description

Red PVC glove Dipped on cotton liner Smooth finish

Product Technology

Dipped

Glove/liner color

Red

Coating Type

PVC

Length

35 cm

Thickness

1,4 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

9L, 10XL

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

EN 374-3 Resistance to

Resistance to permeation by chemicals	AKL
---------------------------------------	-----

Packaging Label

Tagging

CE0075 Honeywell R50X XX EN 420 EN 388 : 4121 EN 374-3 : AKL

Certifications

E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

0075/797/162/05/13/0457 EXT 01/05/13

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/05/13/0457 EXT 01/05/13

Certifications

- EN 0075/797/162/05/13/0457 EXT 01/05/13

Additional Information

User Manual

UI 104

Maintenance

Storage Information

Minimum packaging : 12 pairs Cartons of 72 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/05/13/0457 - EXT 01/05/13

To the following model of personal protective equipment :

- * protective glove against mechanical risks, high chemical risks.
- * reference of the model : R50X
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

**Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 23th, 2013

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : R50X
 Minor Variant of the model :R30X
 Dated : MAY 2013

Gauntlet fully coated glove with liner composed of 100% cotton washed knitted interlock fully coated with red PVC. Total Length 35 cm

Available sizes :

9/L 10/XL

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Red	PVC		1,4mm
BACK	Red	PVC		1,4mm
LINING	Natural	Interlock Cotton		
CUFF	Red	PVC		1,4mm
BINDING				



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 374-3 : 2003 - Protection gloves against chemicals and micro-organisms
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

This product is a category III (lethal or irreversible risk).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1301-1530/1 1302-2039/1	
EN 388		1301-1530/1	
EN 374-2		1303-3857/1	
EN 374-3		1301-1527/1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform


This glove is considered as micro-organism resistant.

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	Methanol	Caustic Soda 40%	Sulfuric Acide 96%			
Letter code of the product	A	K	L			
Permeation performance levels	2	6	3			

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- *  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: R50X
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals and micro-organisms risks
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Redcote Plus - R50X

Reference: R50X

Standard(s): EN 374-3, EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/05/13/0457 EXT 01/05/13

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 26/09/2018

By: Fabrice beaugeard

Division: Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com