



PRODUCT NUMBER: 2001610

DEERFIT

For light and average handling operations. Offers protection against the cold. For outdoor work. Logistics.

Honeywell

Overview

Reference Number

2001610

Product Type

Gloves

Range

Thermal Protection

Line

Cold

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Administration
- Agriculture
- Building and Construction
- Energy or Electricity
- Green Spaces
- Iron and steel industry
- Logistics
- Offshore
- Ship Building
- Telecoms
- Utilities
- Wood Industries

Product Use

For light and average handling operations. Offers protection against the cold. For outdoor work. Logistics.

Features & Benefits

Feature

Yellow water-repellent deerskin gloves

Gunn cut, sewn-on thumb

Palm in grain and back on flesh side

Fully Thinsulate® lined

Elastic strip on the back

Benefit

COMFORT

The glove is made from suede leather and is thus naturally flexible.

The water repellent treatment makes the glove outstandingly comfortable.
 Its Thinsulate lining lets the skin breathe, does not absorb humidity, is ultra lightweight and comfortable.
 Elasticated at the wrist, the glove offers added support.

RESISTANCE

Its Thinsulate lining provides excellent protection against the cold.
 Its US assembly ensures a longer life while reducing the number of seams.

SAFETY

The glove's elasticated fastening at the back reduce thermal exchange.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-03 EEC Basic standards
 EN 388-03 Mechanical hazards
 EN 511-06 Cold protection

CHARACTERISTICS :

Yellow water-repellent deerskin gloves
 Gunn cut, sewn-on thumb
 Palm in grain and back on flesh side
 Fully Thinsulate® lined
 Elastic strip on the back

Product Technology

Cut and Sewn

Coating Type

Leather

Length

25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 4

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	X
Tear resistance	2
Puncture resistance	X

EN 511- Protection in cold temperatures:

Resistance to conductive cold	1
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging

CE HONEYWELL
 2001610 XX
 EN 420
 EN 388 : 2X1X

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/12/11/0889

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/12/11/0889

Additional Information

User Manual

UI 105

User Information Sheet

105

Maintenance

Storage Information

Minimum packaging 10 pairs.

Carton of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/11/12/0889

To the following model of personal protective equipment :

* protective glove against mechanical risks, cold risks.

* reference of the model : 2001610

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on November 20th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 2001610

Basic Model

Dated : OCTOBER, 2012

5 fingers gloves, yellow water repellent deerskin. Palm in grain and back on flesh side. Fully thinsulate lined. Elastic strip on the back.

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	yellow	deer grain leather		0,9-1,1 mm
BACK	yellow	deer leather - flesh side		0,9-1,1 mm
LINING	natural	thinsulate		
CUFF	yellow	deer grain - palm side / flesh side of the leather on the back side		0,9-1,1 mm
	natural	elastic band 1cm		
BINDING	yellow	deer grain		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 511 : 2006 - Protective gloves against cold
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1204-5653/1 1209-13001/1	1204-5653/1
Azo		1204-5653/1	
EN 388		1204-5653/1	
EN 511		0711-12712 1202-1923 1202-1926	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	X	2	X

« X » means that the test hasn't been performed ; no protection is required

The levels of performance have been measured on the palm

Performance levels offered against cold (EN 511:2006) are:


Convective cold	Contact cold	Water penetration
1	2	0

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 2001610
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for cold risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: DEERFIT

Reference: 2001610

Standard(s): EN 388, EN 420, EN 511

This PPE is the object of the below EC examination certificate n°:

0075/797/162/12/11/0889

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 19/09/2018

By: Fabrice Beaugeard

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital de 200 000 € - N° SIRET 3331 4990 7980
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com