



**PRODUCT NUMBER: 2001617**  
**WINTER PROOF DRIVER**

For medium handling in dry or damp environment. Cold resistant. Heavy handling glove

**Honeywell**

**Overview**

**Reference Number**

2001617

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Cold

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Administration
- Agriculture
- Building and Construction
- Energy or Electricity
- Green Spaces
- Iron and steel industry
- Logistics
- Offshore
- Ship Building
- Telecoms
- Utilities
- Wood Industries

**Product Use**

For medium handling in dry or damp environment. Cold resistant. Heavy handling glove.

**Features & Benefits**

**Feature**

Water repellent cowhide grain leather glove  
 Brushed fleece lining  
 Elasticated at the back

**Benefit**

COMFORT

The leather has been enriched by a special tanning process to give the glove superior water repellent properties. The lining increases the glove's comfort and cold insulation. Elasticated at the wrist, the glove offers added support.

## WINTER PROOF DRIVER - 2001617

The winged thumb makes the glove more anatomical for greater ease of use.  
The water repellent treatment enables the glove to be used in damp environments.

### RESISTANCE

Cowhide leather provides good mechanical resistance.  
Its US assembly ensures a longer life while reducing the number of seams.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

EN 511-2006 Cold protection

### CHARACTERISTICS :

Black water-repellent cow grain glove

Gunn cut, sewn-on thumb, wrist type

Fully fleece lined, one brushed side

Elasticated on the back

### Product Technology

Cut and Sewn

### Glove/liner color

Black

### Coating Type

Leather

### Length

26,5 cm

### Thickness

0,8/1,1 mm

### Harmlessness

In conformity with the European standards

### Dexterity

Class 5

### Sizes

7 to 11

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	2

## EN 511- Protection in cold temperatures:

Resistance to conductive cold	1
Resistance to contact cold	1
Water permeability	0

## Packaging Label

### Tagging

CE HONEYWELL

2001617 XX

EN 420

EN 388 : 3122

EN 511 : 110

## Certifications

E.C. Declaration of Conformity

EC Category PPE

2

**EC Certificate Number**  
0075/797/162/12/08/0518

**EC Attestation**  
EC Attestation

**EC Attestation Number**  
0075/797/162/12/08/0518

## Additional Information

**User Manual**  
UI 105

**User Information Sheet**  
105

## Maintenance

**Storage Information**  
Minimum packaging 10 pairs.  
Carton of 100 pairs.

**Care Instructions**  
In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/12/08/0518

To the following model of personal protective equipment :

- \* protective glove against mechanical risks, cold risks.
- \* reference of the model : 2001617
- \* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on December 30th, 2008

Update 02 of July 06th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 2001617

Basic Model

Dated : 2012 JULY

5 fingers, cowhide grain leather, water repellent. Elastic on the back

### Available sizes :

07 08 09 10 11

### Visual description :

### Material :

	Colour	Material	Gauges	Thickness
PALM	Black	Cowhide grain leather, water repellent		0,8/1,1mm.
BACK	Black	Cowhide grain leather, water repellent		0,8/1,1mm.
LINING	Black	Cotton fleece		
CUFF	Natural	Elastic Band 10 mm		
	Black	Cowhide grain leather, water repellent		0,8/1,1mm.
BINDING				

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 511 : 2006 - Protective gloves against cold
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		0804-3223/1 1112-17005/2 1105-6752 / 1	
Azo		1112-17005/2	
EN 388		0803-2415/1 1112-17005/2	
EN 511			LYC-08-1040 0712-14071 0712-14072

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	2	2

The levels of performance have been measured on the palm

**Performance levels offered against cold (EN 511:2006) are:**

Convective cold	Contact cold	Water penetration
1	1	0




### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 2001617
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for cold risks followed by the performance levels
- \* information pictogram

**Marking example:**







# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: WINTER PROOF DRIVER

Reference: 2001617

Standard(s): EN 388, EN 420, EN 511

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/12/08/0518

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 19/09/2018

**By:** Fabrice Beaugeard

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 55288 Villepinte - 95988 ROISSY CDG CEDEX  
SAS au capital de 200 000 € - N° SIRET 3331 4990 7980  
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)