



**PRODUCT NUMBER: 2049292**  
**VELVET CUT**

Medium or heavy handling of dry, wet and oily parts with cut hazards.

**Honeywell**

**Overview**

**Reference Number**

2049292

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Glass Industries
- Iron and steel industry
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Ship Building
- Wood Industries

**Product Use**

Medium or heavy handling of dry, wet and oily parts with cut hazards.

**Features & Benefits**

**Feature**

- Water-repellent cowhide leather glove
- Gunn cut, winged thumb with yoke
- Palm fully lined with Kevlar®
- Palm in flesh side leather
- Back in grain leather
- Lastex wrist type with large vein protection
- Elasticated back
- Stitch with Kevlar® thread

**Benefit****COMFORT**

The leather has undergone a special tanning process to make it more water repellent. This provides outstanding flexibility.  
Elasticated at the wrist, the glove offers added support.  
The winged thumb makes the glove more anatomical for greater ease of use.

**RESISTANCE**

The glove's velvet leather provides good mechanical resistance.  
Its Kevlar jersey lining reinforces the glove's cutting resistance and provides protection against the heat.  
Its US assembly ensures a longer life while reducing the number of seams.

**HYGIENE**

As a result of the glove's water repellent treatment, it can be used durably in oily or damp atmospheres.  
The large vein protection reinforces the wrist against mechanical hazards.

## Technical Description

**Description**

CE CATEGORY : II Intermediary risks  
In accordance with standards :  
EN 420-94 EEC Basic standards  
EN 388-94 Mechanical hazards

**CHARACTERISTICS :**

Water-repellent cowhide leather glove and grain back  
Gunn cut, winged thumb with yoke  
Palm fully lined with Kevlar®  
Palmin flesh side and coudude leather  
Back in grain leather  
Lastex wrist type with large vein protection  
Elasticated back  
Stitch with Kevlar® thread  
Thickness leather only 0.8/1.1 mm. HARMLESSNESS : In conformity with the European standards.

**Product Technology**

Cut and Sewn

**Coating Type**

Leather, cotton and latex

**Length**

30 cm

**Thickness**

0,8/1,1 mm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

9 à 11

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	2
Tear resistance	2
Puncture resistance	2

### Packaging Label

**Tagging**

CE HONEYWELL  
2049292 XX  
EN 420

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

0075/797/162/03/07/0100

#### EC Attestation

EC Attestation

#### EC Attestation Number

0075/797/162/03/07/0100

## Additional Information

### User Manual

UI 102

### User Information Sheet

102

## Maintenance

### Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

### Care Instructions

In order to keep its properties, this article should not be cleaned



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/03/07/0100

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : 20 492 92
- \* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 16th, 2007

Update 02 of June 18th, 2012

Issued by Nadine PIPAZ



4, rue Hermann Frenkel

69367 Lyon Cedex 07 - France

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

Tel. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00  
www.ctcgroupe.com

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 03  
 Reference : 20 492 92  
 Basic Model  
 Dated : JUNE 2012

Water repellent cowhide leather, Gunn cut, Palm in flesh side, back in grain leather. Palm fully lined with kevlar®. Lastex wrist type with vein protection. Elastic back.

### Available sizes :

09 10 11

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	Yellow	Water repellent velvet		0,8/1,1mm
	Natural	kevlar thread		
BACK	Yellow	Ccow grain leather		0,8/1,1mm
LINING	Natural	Kevlar interlock, palm side		
CUFF	Natural	Latex 60mm - back side		
	Yellow	Water repellent velvet		0,8/1,1 mm
	Natural	Elastic band 1cm		
BINDING				

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		0710-11615/1 1202-1993/1 1203-4259/1	
Azo		1202-1993/1	
EN 388		1202-1993/1	1104-5377/1 1204-1993/1

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	2	2	2


The levels of performance have been measured on the palm

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 20 492 92
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: VELVET CUT

Reference: 2049292

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/03/07/0100

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

**By:** Fabrice beaugeard

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)