



PRODUCT NUMBER: 2094431
FINDEX 944-31

Food industry. For the handling of frozen products. Fishing, poultry farming, oyster farming. maintenance, standard industrial cleaning. Building, painting. Masonry.



Overview

Reference Number

2094431

Product Type

Gloves

Range

Chemical Protection

Line

Liquidproof

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Building and Construction
- Catering
- Chemical Industries
- Fishing
- Food Industries
- Industrial Cleaning
- Laboratory
- Medical and Pharmaceutical
- Printing Industries
- Ship Building
- Water treatment

Product Use

Food industry. For the handling of frozen products. Fishing, poultry farming, oyster farming. maintenance, standard industrial cleaning. Building, painting. Masonry.

Features & Benefits

Feature

Latex glove dipped on a 100% polyamide knitted liner.

Rough finishing.

Thickness : 1.1 mm

Length : 30 cm

Color : Grey

Benefit

Comfort

Natural latex provides excellent flexibility, synonymous with dexterity and comfort. The glove's knitted, seamless lining makes the glove ever so close to the hand, with added comfort.

Elasticated at the wrist, the glove offers added support.

Resistance

Latex offers good mechanical and chemical resistance against detergents and liquid products. It also resists acids and bases. Avoid contact with oils, greases and hydrocarbons.

Safety

The cuff helps to protect a large part of the forearm

Hygiene

Grey color is better in soiled environment

Technical Description

Description

Latex glove dipped on a 100% polyamide knitted liner.

Rough finishing.

Color : Grey.

Product Technology

Dipped Gloves

Length

30

Thickness

1.1mm

Harmlessness

Conform

Dexterity

Class 5

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	3
Puncture resistance	1

Packaging Label

Tagging

CE HONEYWELL

2094431 XX

EN420 EN 388 : 3131

EN 374-2

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/09/11/0513

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/09/11/0513

Photos & Images

PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/0f7e87f4eba243dbb066712752b6bf9b.jpg>

PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/d919d4e0ade54d78b88e447975280432.jpg>

Additional Information

User Manual

UI 103

User Information Sheet

103

Maintenance

Care Instructions

In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/09/11/0513

To the following model of personal protective equipment :

* protective glove against mechanical risks, low chemical risks, micro-organisms.

* reference of the model : 20 944 31

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on September 20th, 2011
Update 01 of September 18th, 2012

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02
 Reference : 20 944 31
 Basic Model
 Dated : AUGUST 2012

Latex glove dipped on a 100% polyamide knitted liner. Rough finishing

Available sizes :

7 8 9 10

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Dark Grey	Latex – Rough finishing		1,1/1,3mm
BACK	Dark Grey	Latex – Rough finishing		1,1/1,3mm
LINING	white	polyamide 70D	13	
CUFF	Grey	Latex Smooth finishing		0,9/1mm
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- Protection gloves against chemicals and micro-organisms - one product tested
- * EN 374-3 : 2003 - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).
- * Innocuousness

This product is a category III (lethal or irreversible risk).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1105-6578/1 1112-17374/1	
EN 388		0610-10548 0804-3472/1 1112-17374/1	
EN 374-2		1205-6544/1 1207-10762/1	1105-6579/1 1112-17374/1
EN 374-3		1107-9383	287-2011

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	3	1

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

This glove is considered as micro-organism resistant.

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	Sulfuric Acid 4M					
Letter code of the product	L					
Permeation performance levels	6					

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: 20 944 31
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals and micro-organisms risks
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: FINEDEX 944-31

Reference: 2094431

Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/09/11/0513

Delivered by:

CENTXBEL

Technologiepark - Zwijnaarde, 7

9052 GENT

Belgium

Drawn up in Lyon, on the 26/09/2018

By: Fabrice beaugeard

Division: Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com