



PRODUCT NUMBER: 2095030
POWERCOAT® 950-30 Neofit

Long-term heavy work. General maintenance
 Assembling transmissions. Surface treatment for metals



Overview

Reference Number

2095030

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Agriculture
- Automotive and Part Manufacturer
- Building and Construction
- Chemical Industries
- Industrial Cleaning
- Maintenance
- Petro-chemical
- Water treatment
- Wood Industries

Product Use

Long-term heavy work. General maintenance Assembling transmissions. Surface treatment for metals

Features & Benefits

Feature

Neoprene glove with 100% cotton interlock base
 Double dipped
 Rough finish

Benefit

COMFORT
 Neoprene offers high flexibility.
 The cotton interlock lining strengthens the glove's mechanical performance while absorbing hand perspiration for added comfort.
 The rough finish provides a better grip in a damp environment.

RESISTANCE

Neoprene provides chemical and mechanical resistance.
 It resists acids, bases, solvents as well as industrial adhesives.
 It is suitable for a wide range of chemicals.
 Its double coating ensures a good level of chemical protection and superior mechanical protection.

SAFETY

Category III glove for constant quality.
 The cuff helps to protect a large part of the forearm.

Technical Description

Description

CE CATEGORY : III irreversible risks
 In accordance with standards :
 EN 420-2003 EEC Basic standard
 EN 388-2003 Mechanical risks
 EN 374-2003 Chemical risks

CHARACTERISTICS :

Supported Neoprene glove, double dipped
 Lined on a 100% cotton interlock cut and sewn liner
 Rough finishing

Product Technology

Dipped Gloves

Glove/liner color

Black and blue

Coating Type

neoprene and cotton

Length

30 cm

Thickness

1.1 mm

Harmlessness

In conformity with European standards

Dexterity

Class 5

Sizes

7 to 10

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

EN 374-3 Resistance to

Resistance to permeation by chemicals	AKL
---------------------------------------	-----

Packaging Label

Tagging

CE HONEYWELL
 2095030 XX
 EN 420
 EN 388 : 3121
 EN 374-3 : AKL

Certifications

E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

0075/797/162/09/08/0358

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/09/08/0358

Additional Information

User Manual

UI 104

User Information Sheet

104

Maintenance

Storage Information

Individual packaging.

Minimum sale packaging 10 pairs.

Boxes of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/09/08/0358

To the following model of personal protective equipment :

- * protective glove against mechanical risks, high chemical risks.
- * reference of the model : 20 950 30
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on November 12th, 2008

Update 01 of September 14th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02
 Reference : 20 950 30
 Basic Model
 Dated : SEPTEMBER 2012

Supported Neoprene glove, double dipped. Lined on a 100% cotton interlock cut & sewn liner. Rough finish.

Available sizes :

07 08 09 10

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Black/Blue	Neoprene		1,1mm
BACK	Black/Blue	Neoprene		1,1mm
LINING	Natural	100% cotton interlock		
CUFF	Black/Blue	Neoprene		1,1mm
BINDING				



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 374-3 : 2003 - Protection gloves against chemicals and micro-organisms
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

This product is a category III (lethal or irreversible risk), this glove offers a high chemical protection.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1207-10031/1 1207-10038/1	1112-16942/1
EN 388		1203-3020/1 1207-10038/1	
EN 374-2		1203-3020/1	
EN 374-3		0712-1345/2 1202-2747-2 1202-2747A 1202-2747B 1202-2747C	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	2	1

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:


Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	Methanol	Caustic Soda 40%	Sulfuric acid 96%			
Letter code of the product	A	K	L			
Permeation performance levels	2	5	3			

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- *  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: 20 950 30
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals risks
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: POWERCOAT® 950-30 Neofit

Reference: 2095030

Standard(s): EN 374-3, EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/09/08/0358

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 26/09/2018

By: Fabrice beaugeard

Division: Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com