



PRODUCT NUMBER: 2095301
POWERCOAT® 953-01 Nitraf

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Preparation of greasy products, production of paints, varnishes.

Honeywell

Overview

Reference Number

2095301

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Agriculture
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Food Industries
- Industrial Cleaning
- Iron and steel industry
- Maintenance
- Offshore
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Transportation
- Utilities
- Water treatment

Product Use

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Food preparation of greasy products, production of paints, varnishes.

Features & Benefits

Feature

- Unsupported nitrile glove
- Cotton flock inside
- Diamond-pattern finish

Benefit

COMFORT

The glove's nitrile formula has been selected to give great elasticity to the glove.

The cotton flocked interior provides the user with greater comfort.
Its diamond finish is tailored for grasping dry and damp objects.

RESISTANCE

Nitrile ensures good chemical properties and excellent mechanical characteristics (abrasion).
It is particularly suitable for the handling of oils and greases.
Avoid contact with solvents containing ketones.

SAFETY

Category III glove for constant quality.
Its long cuff helps to protect the forearm.

Technical Description

Description

CE CATEGORY : III Irreversible risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical risks

EN 374-2003 Chemical risks

CHARACTERISTICS :

Unsupported nitrile glove

Cotton flock inside

Diamond-pattern finish

Product Technology

Dipped Gloves

Glove/liner color

Green

Coating Type

Nitrile and cotton

Length

33 cm

Thickness

0.4 mm

Harmlessness

In conformity with European standards

Dexterity

Class 5

Sizes

7 to 12

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	0
Puncture resistance	1

EN 374-3 Resistance to

Resistance to permeation by chemicals	JKL
---------------------------------------	-----

Packaging Label

Tagging

CE HONEYWELL

2095301 XX

EN 420

EN 388 : 4101

EN 374-3 : JKL

Certifications

E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

0075/797/162/02/07/0042

EC Attestation

EC Attestation

EC Attestation Number
0075/797/162/02/07/0042

Additional Information

User Manual

UI 104

User Information Sheet

104

Maintenance

Storage Information

Individual packaging.

Minimum sale packaging 10 pairs.

Boxes of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/02/07/0042

To the following model of personal protective equipment :

- * protective glove against mechanical risks, low chemical risks, chemical risks.
- * reference of the model : 20 95 301
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on February 06th, 2007

Update 02 of July 19th, 2012

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 03
 Reference : 20 95 301
 Basic Model
 Dated : JULY 2012

5 fingers nitrile glove. No supported, Diamond finishing, total length 33 cm

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	green	ntitrile		0,4 mm
BACK	green	ntitrile		0,4 mm
LINING	natural	cotton flocked		
CUFF	green	ntitrile		0,4 mm
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-1:2003/EN 374-2:2003/EN 374-3:2003 - Protection gloves against chemicals and micro-organisms
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

This product is a category III (lethal or irreversible risk), this glove offers a high chemical protection.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1202-2175/1	
EN 388		0611-11746/1 1101-763/1 1202-2175/1 1202-2182/1 1203-3007/1	
EN 374-2		0711-11984/1 1101-768/1 1202-2178/1	
EN 374-3		0711-11974/1	1112-16928/1

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	0	1

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:


Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	n-Heptane	Caustic Soda 40%	Sulfuric Acid(96%)			
Letter code of the product	J	K	L			
Permeation performance levels	6	6	3			

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- *  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: 20 95 301
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals risks
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: POWERCOAT® 953-01 Nitraf

Reference: 2095301

Standard(s): EN 374-3, EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/02/07/0042

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 26/09/2018

By: Fabrice beaugeard

Division: Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com