

PRODUCT NUMBER: 2232230 POLYTRIL™

Handling of fine objects in a greasy, damp or soiled atmosphere. General handing of building and public works, mechanical handling in the automotive industry.

Honeywell

Over	view
Refere 223223	ence Number 30
Produ Gloves	ct Type
Range Genera	al purpose
Line Light &	medium handling
Brand Honey	
Brand SPERIA	formerly known as aN
Indust	try
IronServ	omotive and Part Manufacturer Aviation Building and Construction Energy or Electricity and steel industry Maintenance Metal steel Minning and Quarrying Petro-chemical vices Ship Building Telecoms Transportation Utilities Water treatment of Industries

Product Use

Handling of fine objects in a greasy, damp or soiled atmosphere. General handing of building and public works, mechanical handling in the automotive industry.

Features & Benefits

Feature

White polyamide knitted glove Grey oilproof nitrile coating on palm and fingertips Elastic knitted wrist

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

Page 1 Of 3 © Honeywell International Inc. Q

POLYTRIL[™] - 2232230

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back improves the glove's breathability.

The knitted and elasticated wrist gives the glove good support.

RESISTANCE

The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils.

HYGIENE

Its grey coating makes the glove more soilproof, thus increasing its last.

Technical Description

Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-03 EEC Basic standards EN 388-03 Mechanical hazards

CHARACTERISTICS :

White polyamide knitted glove Grey oilproof nitrile coating on palm and tip of fingers Elastic knitted wrist

Product Technology

Knitted Coated

Gauge 13

Glove/liner color White and grey

Coating Type

Polyamide and nitrile

Length 24,5 cm

Thickness

0,25 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes 7 to 10

7 to 10

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

Packaging Label

Tagging CE HONEYWELL 2232230 XX EN 420

EN 388 : 4121

Certifications

E.C. Declaration of Conformity

EC Category PPE 2

Quality Assurance

EC Certificate Number 0075/797/162/01/08/0008

EC Attestation EC Attestation

EC Attestation Number 0075/797/162/01/08/0008

Additional Information

User Manual UI 102

User Information Sheet 102

Maintenance

Storage Information Minimum packaging : 10 pairs. Cartons of 100 pairs.

Care Instructions This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

D Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

СТС

4,rue Hermann Frenkel - 69367 Cedex 07 - France Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/08/0008

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 2232230

* responsible for placing on the market

HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 11th, 2008 Update 03 of June 15th, 2012

Issued by Nadine PIPAZ

4, rue Hermann Frenkel

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval 6936476 by modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress change of the transformed of the information contained in attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work:



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04 Reference : 2232230 Basic Model Dated : JUNE 2012

5 fingers knitted glove. White polyamid yarn, with Grey nitrile coating on the palm and fingertips. The overlock color indicate the size : T07-Red, T08-Blue, T09-Yellow, T10-White

Available sizes :

.	07	08	09	10
----------	----	----	----	----

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	White	Polyamid yarn	13	
PALIVI	Grey	Nitril smooth		0,8mm
BACK	White	Polyamid yarn	13	
LINING	White	Polyamid yarn	13	
	White	Polyamid yarn	13	
CUFF	Natural	Rubber elastic	13	
BINDING	Red/Blue/Ye llow/White/O range			



Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009
- * EN 388:2003
- * Innocuousness
- General requirements for gloves and test methods
- Protective glove against mechanical risks

- At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1112-16929/1	
Azo		1008-10045/2	
EN 388		1101-1093/1 1112-16929/1	1106-7634/1 1112-16929/1

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1


The levels of performance have been measured on the palm



Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * CE marking
- * reference of the model: 2232230
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

<u>The manufacturer or its legal representative supplier in the European Community:</u> Honeywell Safety Products Europe

<u>Declares that the Personal Protective Equipment described here after conforms to the</u> provisions of the European Council Directive 89/686/CEE:

Designation: POLYTRIL™ Reference: 2232230 Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°: 0075/797/162/01/08/0008

Delivered by: CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 LYON Cedex 07 France

Drawn up in Roissy, on the 17/12/2018 By: Eric Puille Division: Gloves HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison - 2I Paris Nord II - 33 rue des Vanesses BP 55288 Villepinte - 95958 ROISSY CDG CEDEX SAS au capital 17 750 000 € - Sirej 348 effs 307 00137 Tel. +331 4990 7970 - Fax - 104 4990 7980

> ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com