

PRODUCT NUMBER: 2232233
POLYTRIL™ MIX

Honeywell

Overview

Reference Number

2232233

Product Type

Gloves

Range

General purpose

Line

Heavy handling

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Iron and steel industry
- Maintenance
- Metal steel
- Mining and Quarrying
- Petro-chemical
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Water treatment
- Wood Industries

Product Use

Handling heavy and sharp objects in a greasy, damp and/or dirty environment. General handling in building and public works, steelworks and metallurgy.

Features & Benefits

Feature

Black polyamide/cotton knitted glove. Rough black nitrile coating on palm and fingers. Gauge 10. Length : 25,5 cm.

Benefit

Comfort The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch. The ventilated back optimises the glove's breathability. The knitted and elasticated wrist gives the glove good support. **Resistance** The cotton polyamide thread offers excellent comfort and provides the glove with

effective properties against cuts. The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils. Hygiene Its black colour makes it more soilproof, thus ensuring a longer last.

Technical Description

Description

CE CATEGORY : II Intermediary risks In accordance with standards: EN 420-03 Basic standards EN 388-03 Mechanical hazards CHARACTERISTICS : Black polyamide/cotton knitted glove. Rough black nitrile coating on palm and fingers.

Product Technology

Knitted Coated

Gauge

10

Length

25,5 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

| | |
|---------------------------------|---|
| Abrasion resistance | 4 |
| Cutting resistance (Coupe test) | 2 |
| Tear resistance | 3 |
| Puncture resistance | 2 |

Packaging Label

Tagging

CE Honeywell
2232233 XX
EN 420
EN 388 : 4232

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

N°0075/797/162/01/08/0009

EC Attestation

EC Attestation

EC Attestation Number

N°0075/797/162/01/08/0009

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/08/0009

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 2232233

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 11th, 2008

Update 01 of July 30th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 2232233

Basic Model

Dated : JULY, 2012

5 fingers knitted glove. Polyamid/cotton yarn, with Nitrile coating on the palm eand fingertips. Rough finish + overlock T06/Green, T07/Red, T08/Blue, T09/Yellow, T10/White, T11/Orange

Available sizes :

07 08 09 10 11

Visual description :



Material :

| | Colour | Material | Gauges | Thikness |
|---------|---|-----------------------------------|--------|-----------|
| PALM | Black | polyamide cotton yarn | 10 | |
| | Black | Nitrile coating non breathable | | 1,2-1,4mm |
| BACK | Black | polyamide cotton yarn | 10 | |
| LINING | | | | |
| CUFF | Black | polyamide cotton yarn | 10 | |
| | Black | elastic yarn | | |
| BINDING | Green/ Red/ Blue/ Yellow/ White/ Orange | PES | | |

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

| Laboratory | CTC Asia | CTC France | Other |
|------------|----------|--|---------------------------|
| EN 420 | | 1011-14010/1 1201-847/1 1207-10030/1 | 1106-7634/1 1201-847/1 |
| Azo | | 1008-10045/1 1011-14010/1 | |
| EN 388 | | 0810-10475/1 1011-13820/1 1011-14712/1 | |

Performance levels offered against mechanical risks (EN 388:2003) are:

| Abrasion resistance | Blade cut resistance | Tear strength resistance | Puncture resistance |
|---------------------|----------------------|--------------------------|---------------------|
| 4 | 2 | 3 | 2 |


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 2232233
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE

| | | |
|---------------------------------|----------|-------------------|
| Reference of the product | : | 2232233 |
| Technical file index | : | 02 |
| Last update | : | JULY, 2012 |



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:
Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: POLYTRIL™ MIX
Reference: 2232233
Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:
N°0075/797/162/01/08/0009

Delivered by:
CENTRE TECHNIQUE DU CUIR
4 rue Hermann Frenkel
69367 LYON Cedex 07
France

Drawn up in Lyon, on the 17/12/2018
By: Fabrice Beaugeard
Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95988 ROISSY CDG CEDEX
SAS au capital de 200 000 € - N° SIRET 3331 4990 7980
Tel: +33 1 49 90 79 79 Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France
Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80
www.honeywellsafety.com