

### PRODUCT NUMBER: 2232236 **POLYTRIL™ TOP**

Handling in oily or greasy conditions. Outdoor handling in wet environment. Assembly work in greasy/oily environment. Construction, automotive, metal industry.

# Honeywell

#### **Overview**

#### **Reference Number**

2232236

#### **Product Type**

Gloves

#### Range

General purpose

#### Line

Heavy handling

#### **Brand**

Honeywell

### Brand formerly known as

**SPERIAN** 

#### Industry

- Industry Automotive and Part Manufacturer
- Logistics
- Maintenance
- Offshore

Transportation

#### **Product Use**

Handling in oily or greasy conditions. Outdoor handling in wet environment. Assembly work in greasy/oily environment. Construction, automotive, metal industry.

#### **Features & Benefits**

#### **Feature**

Knitted polyamide glove Black oilproof nitrile coating on palm and back Fully dipped Smooth finish Elastic wrist

#### Benefit

**COMFORT** 

The knitted construction conforms perfectly to the natural shape of the hand thus providing excellent dexterity.

#### POLYTRIL™ TOP - 2232236

Open back to provide superior ventilation.

Polyamide combines good resistance to abrasion, humidity, tearing and shearing.

The nitrile coating on the palm and fingertips brings some excellent abrasion resistance quality as well as oilproof properties.

A pattern finish to enhance grip.

Black colour dedicated to dirty applications and environments.

#### **Technical Description**

#### Description

CE CATEGORY: II Intermediary risks In accordance with standards: EN 420-2003 Basic standards EN 388-2003 Mechanical hazards

#### CHARACTERISTICS:

Knitted polyamide glove.

Black oilproof nitrile coating on palm and back.

Fully dipped Smooth finish

Elastic wrist

#### **Product Technology**

**Knitted Coated** 

#### Gauge

13

#### Glove/liner color

Black

#### **Coating Type**

Polyamide and nitrile

#### Length

25 cm

#### Harmlessness

In conformity with the European standards

#### Dexterity

Class 5

#### Sizes

7 to 10

#### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

## **Packaging Label**

#### **Tagging**

**CE HOEYWELL** 2232236 XX EN 420 EN 388: 4121

#### **Certifications**

#### POLYTRIL™ TOP - 2232236

E.C. Declaration of Conformity

**EC Category PPE** 

2

**Quality Assurance** 

ISO 9001 / 2000

**EC Certificate Number** 

0075/797/162/05/07/0190

**EC** Attestation

**EC** Attestation

#### **Additional Information**

**User Manual** 

UI 102

**User Information Sheet** 

102

#### **Maintenance**

**Storage Information** 

Minimum packaging: 10 pairs. Cartons of 100 pairs.

**Care Instructions** 

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF
9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers:

# CE TYPE EXAMINATION CERTIFICATE 0075/797/162/05/07/0190

To the following model of personal protective equipment:

\* protective glove against

mechanical risks.

\* reference of the model

22 322 36

\* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

**France** 

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 30th, 2007

**Update 01** 

of September 23th, 2013

Issued by Nadine PIPAZ

=

NOTA: Any modification to new Items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



# 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index: 03

Reference: 22 322 36

Basic Model

Dated: SEPTEMBER 2013

5 fingers knitted glove, Nylon yarn, fully nitrile coated. Overlock:T06-green, T07-red, T08-blue, T09-yellow, T10-white.

### Available sizes:

7 8 9 10

# Visual description:



## Material:

	Colour	Material	Gauges	Thikness
PALM	Black	Polyamid yarn 70D	13	
	Black	Nitrile coating		1 mm
BACK	Black	Polyamid yarn 70D	13	
	Black	Nitrile coating		1 mm
LINING				
CUFF	Black	Polyamid yarn 70D	13	
	Black	Elastic Rubber		
BINDING	Green/ Red/Blue/Ye llow/White	PES		



# 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- \* EN 388:2003
- \* Innocuousness
- General requirements for gloves and test methods
- Protective glove against mechanical risks
- At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1307-12875/1 1308-13630/1 1309-14726/1	
Azo		1008-10045/2 1307-12875/1	
EN 388		1307-12875/1	1106-7634/1 1307-12875/1

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1


The levels of performance have been measured on the palm



# Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* C€ marking
- \* reference of the model: 22 322 36
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

# Marking example:





# **E.C.** Declaration of Conformity

### The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

# <u>Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:</u>

Designation: POLYTRIL™ TOP

Reference: 2232236

Standard(s): EN 388, EN 420

#### This PPE is the object of the below EC examination certificate n°:

0075/797/162/05/07/0190

#### **Delivered by:**

CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 LYON Cedex 07 France

Drawn up in Roissy, on the 17/12/2018

By: Fabrice Beaugeard

HONEYWELL SARTY PRODUCTS EUROPE Inmobile Edition - 32 February 1 - 23 runs der Edition - 32 February 1 - 23 runs der Edition - 32 February 1 - 23 runs der Edition - 33 runs der

**Division**: Gloves

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com