



**PRODUCT NUMBER: 2318768**  
**VERTIGO GREY PU 5**

Handling sharp parts in a dry or greasy environment.

## Overview

**Reference Number**

2318768

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Sperian

**Brand formerly known as**

PERFECT FIT

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

**Product Use**

Handling sharp parts in a dry or greasy environment.

## Features & Benefits

**Feature**

Knitted glove in Spectra®/polyamide and composite fiber.

Grey PU coating on palm

Color: White

Gauge 13

Length: 25 cm.

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Spectra® touch gives an added sensation of comfort.

The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The glove's ventilated back optimises its breathability.

**RESISTANCE**

The Spectra®/lycra® thread provides outstanding properties against cuts.  
 The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.  
 The composite fiber fully protected by polyamide increase the cut resistance.  
 Caution! Do not expose this glove to the heat.

**HYGIENE**

Its white colour enhances the glove's hygiene and cleanliness.  
 Its grey coating enables work in a slightly soiled environment.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks  
 In accordance with standards :  
 EN 420-2003 EEC Basic standards  
 EN 388-2003 Mechanical hazards

CHARACTERISTICS : Knitted glove in Spectra® polyamide and composite fiber.  
 Grey PU coating on palm.  
 Color: White  
 Gauge 13.  
 Length: 25 cm.

**Product Technology**

Knitted Coated

**Gauge**

13

**Glove/liner color**

White and grey

**Coating Type**

Spectra® / polyamide / composite fiber and lycra®

**Length**

23,5 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

6 to 11

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4
Puncture resistance	3

**Packaging Label**

**Tagging**

CE HONEYWELL  
 2318768 XX  
 EN 420  
 EN 388 : 4543

**Certifications**

E.C. Declaration of Conformity

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Attestation**

AET 2318768

## Photos & Images

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/02/16/0132

To the following model of personal protective equipment :

\* protective glove against mechanical risks.

\* reference of the model : 23 187 68

\* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on June 07th, 2016

Update 01 of June 16th, 2016

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 23 187 68

Basic Model

Dated : January 2016

Knitted glove with Polyethylene high tenacity / fiber glass / Polyester yarns, grey PU coating on the palm and finger tips.

### Available sizes :

06 07 08 09 10 11

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	white	Polyethylene high tenacity / fiber glass / Polyester / Elastane	13	
	grey	PU		1mm
BACK	white	Polyethylene high tenacity / fiber glass / Polyester / Elastane	13	
LINING				
CUFF	white	Fiber	13	
	Blue	elastic rubber		
BINDING	Green /Red /Blue /Yellow /White /Orange	Polyester		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n°1907/2006 and revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		L151016622_1 L151016623_1 L151219458_1	
Azo		L151016623_1 L150609368_1	
EN 388		L151016622_1	L151016623_1 L1510-16580

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	3


The levels of performance have been measured on the palm

## 3. MARKING

Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 23 187 68
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

Marking example:





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: VERTIGO GREY PU 5

Reference: 2318768

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Roissy, on the 17/12/2018

**By:** Fabrice beaugeard

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 55288 Villepinte - 95988 ROISSY CDG CEDEX  
SAS au capital de 200 000 € - RCS 331 499 079 80  
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)