



PRODUCT NUMBER: 2332271

## SKELETON Nit 1

Handling of heavy parts in oily or greasy environment.  
Shock absorber pad on top of the hand to protect metacarpian and fingers.

# Honeywell

## Overview

**Reference Number**

2332271

**Product Type**

Gloves

**Range**

General purpose

**Line**

Heavy handling

**Brand**

Honeywell

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Green Spaces
- Iron and steel industry
- Metal steel
- Mining and Quarrying
- Offshore
- Ship Building
- Wood Industries

**Product Use**

Handling of heavy parts in oily or greasy environment. Shock absorber pad on top of the hand to protect metacarpian and fingers.

## Features & Benefits

**Feature**

Knitted glove in yellow High viz polyamide.

**Benefit**

The knitting technique provides the glove with excellent fit and high dexterity.  
The yellow high viz can be used to be easily recognized

**Feature**

Reinforcement on palm and thumb

**Benefit**

Offer a greater comfort and protect against little Shocks on the palm. The thumb reinforcement protects a fragile zone for an extended lifetime

**Feature**

Black nitrile foam coating on palm.

**Benefit**

Nitrile coating provides good protection against oil and grease. The foam coating makes the glove more flexible than

standard nitrile.

**Feature**

Rubber pad on top of the hand and fingers

**Benefit**

Helps to protect metacarpian and fingers from shocks.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

CHARACTERISTICS :Knitted glove in yellow high viz polyamide.

Reinforcement on thumb and plam.

Black nitrile foam coating on palm.

Rubber pads on top of the hand and fingers

**Product Technology**

Knitted dipped

**Fiber**

Polyamide

**Gauge**

13

**Glove/liner color**

Yellow High Viz

**Coating Type**

Nitrile foam

**Coating Color**

black

**Length**

25 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

7 to 11

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	3
Puncture resistance	1

**Packaging Label**

**Tagging**

CE HONEYWELL

2332271 XX

EN 420

EN 388 : 3131

**Certifications**

E.C. Declaration of Conformity

**EC Category PPE**

2

**EC Certificate Number**

0075/797/162/

**EC Attestation**

EC Attestation

**EC Attestation Number**

(0075/797/162/06/15/0592)

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions please contact Honeywell safety products



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France  
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr  
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z -  
TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/06/15/0592

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : 23 322 71
- \* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on June 16th, 2015

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 23 322 71

Basic Model

Dated : June 2015

5 fingers knitted glove, with polyamide/glass fiber/para aramide yarns. Nitrile coting on the palm and fingertips.  
 .Gum reinforcements on the back + Velcro Overlock T6-Green / T7- Red / T8-Blue / T9-Yellow / T10 - White / T11- Orange

### Available sizes :

06      07      08      09      10      11      12

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	Yellow	polyester yarn	15	
	black	Nitrile sandy finish		
	black	brushed textile		
	black	reinforcement on thumb		
BACK	Yellow	polyester yarn	15	
	Black	Nitrile sandy finish		
	Black /Yellow	Gum reinforcement		
LINING		foam		
CUFF	Yellow	polyester yarn	15	
	Natural	Elastic rubber 175		
	Green/Red/Blue/Yellow/White/Orange	polyester		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1405-8821/1 L150506483_1 L150506484_1	
Azo		1008-10045/2 1405-8821/1 1407-13655/1	
EN 388		1405-8821/1 L150506483_1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	2	2


The levels of performance have been measured on the palm

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 23 322 71
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**





## E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: SKELETON Nit 1

Reference: 2332271

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel


69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

**By:** Nadine Pipaz

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)