



**PRODUCT NUMBER: 2342552**  
**Vertigo Check & Go Black Nit**

**3**

For work requiring good dexterity in a dry, oily or greasy environment. For light handling, parts assembly.

**Honeywell**

**Overview**

**Reference Number**

2342552

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

**Product Use**

For work requiring good dexterity in a dry, oily or greasy environment. For light handling, parts assembly.

**Features & Benefits**

**Feature**

Black Spectra® knitted glove

Black nitrile foam coating on palm and fingers tips

**Benefit**

**COMFORT**

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Spectra® touch gives an added sensation of comfort.

The ventilated back and foamy shape optimise the glove's breathability.

**RESISTANCE**

The Spectra®/Lycra® thread provides outstanding properties against cuts.

The nitrile foam coating at the palm and fingertips provides outstanding abrasion resistance as well as good resistance against oils.

Caution! Do not expose this glove to the heat.

**SAFETY**

Marking of the cut resistance level on top of the glove for a better identification of the protection by safety manager and worker.

**HYGIENE**

Its black colour and black coating make this glove more soilproof, thus ensuring a longer last.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standard

EN 388-2003 Mechanical risks

**CHARACTERISTICS :**

Black Spectra® knitted glove

Black nitrile foam coating on palm and fingers tips

**Product Technology**

Knitted Coated

**Fiber**

Spectra®

**Gauge**

13

**Glove/liner color**

Black

**Coating Type**

Nitrile foam

**Coating Color**

Black

**Length**

25 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

6 to 11

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	3
Tear resistance	4
Puncture resistance	3

**Packaging Label**

**Tagging**

CE HONEYWELL

2342552 XX

EN 420

EN 388 : 4343

**Certifications**

**E.C. Declaration of Conformity**

**EC Category PPE**

2

**EC Certificate Number**

0075/797/162/12/10/0513 EXT 05/10/2015

**EC Attestation**

EC Attestation

**EC Attestation Number**

0075/797/162/12/10/0513 EXT 05/10/2015

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging of 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned industrially. Please contact Honeywell Safety Products.



*In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,*

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France  
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,  
**registered under the number 0075, published in OJEC, delivers :**

**EC-TYPE EXAMINATION CERTIFICATE**  
**0075/797/162/12/10/0513 - EXT 05/10/15**

To the following model of personal protective equipment :

- \* reference of the model : 23 425 52
- \* protective glove against mechanical risks.
- \* Manufacturer :

**HONEYWELL SAFETY PRODUCTS EUROPE**  
**Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY**  
**France**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Issued by Lionel GAUDILLERE

Drawn up in Lyon, on October 14th, 2015  
**Update 01 of July 11th, 2016**



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 23 425 52

Minor Variant of the model :22 322 75

Dated : June 2016

5 fingers knitted glove. Polyethylene high tenacity/Elasthan/Polyamide yarns.Overlock: T07-red, T08-blue, T09-yellow, T10-white, T11-orange

### Available sizes :

06 07 08 09 10 11

### Visual description :



### Material :

	Color	Material	Gauges	Thickness
PALM	Black	High tenacity polyethylene / polyamide /elastanne	13	
	Black	Nitrile		1mm
BACK	Black	High tenacity polyethylene / polyamide /elastanne	13	
CUFF	Black	High tenacity polyethylene / polyamide /elastanne	13	
	Black	Elastic rubber	13	
BINDING	Red/Blue/Yellow/White/Orange	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)
- \* This product is a category II.

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC	Other
EN 420	1011-13698/1 1202-1992/1 L150914478_1	
Azo	L150811782_1 L150609368_1	
EN 388	1501-1230/1 1011-13698-1	
OTHER	L160508470_1 1106-7634-1 1202-1992/1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	3	4	3

The levels of performance have been measured on the palm

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 23 425 52
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: Vertigo Check & Go Black Nit 3

Reference: 2342552

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/12/10/0513 EXT 05/10/2015

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

**By:** Fabrice Beaugeard

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)