



**PRODUCT NUMBER: 830FWG**  
**Trawler King - 830FWG**

Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.



**Overview**

**Reference Number**

830FWG

**Product Type**

Gloves

**Range**

Chemical Protection

**Line**

Heavy chemical

**Brand**

Honeywell

**Brand formerly known as**

NORTH

**Industry**

- Agriculture
- Automotive and Part Manufacturer
- Chemical Industries
- Petro-chemical
- Water treatment

**Product Use**

Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.

**Features & Benefits**

**Feature**

Green PVC glove Dipped on cotton liner Rough finish

**Benefit**

**COMFORT** The cotton interlock lining strengthens the glove's mechanical performance while absorbing hand perspiration for added comfort. The rough powdered finish considerably improves the glove's grip and grasping of objects in a greasy or damp environment. The glove's articulated fingers offer superior comfort and reduce effort in cases of extended use. **RESISTANCE** PVC composition has been tailored for multi-purpose and repetitive handling in an oily atmosphere. The cotton interlock lining strenghtens the glove's mechanical performance. Low resistance to ketones, aromatic and halogene hydrocarbons. **SAFETY** Superior quality PVC, PPE Class III, ensures excellent quality.

## Technical Description

### Description

Green PVC glove Dipped on cotton liner Rough finish

### Product Technology

Dipped

### Glove/liner color

Green

### Coating Type

PVC

### Length

27 cm

### Thickness

1,6 mm

### Harmlessness

In conformity with the European standards.

### Dexterity

Class 4

### Sizes

8M, 9L, 10XL

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

## EN 374-3 Resistance to

Resistance to permeation by chemicals	AKL
---------------------------------------	-----

## Packaging Label

### Tagging

CE0075 Honeywell 830FWG XX EN 420 EN 388 : 4121 EN 374-3 : AKL

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

3

#### EC Certificate Number

0075/797/162/05/13/0410

#### EC Attestation

EC Attestation

#### EC Attestation Number

0075/797/162/05/13/0410

#### Certifications

- EN 0075/797/162/05/13/0410

## Additional Information

**User Manual**

UI 104

## Maintenance

**Storage Information**

Minimum packaging : 12 pairs Cartons of 72 pairs.

**Care Instructions**

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,  
registered under the number 0075, published in OJEC, delivers :

### EC-TYPE EXAMINATION CERTIFICATE 0075/797/162/05/13/0410

To the following model of personal protective equipment :

- \* reference of the model : 830FWG
- \* protective glove against mechanical risks and high chemical risks.
- \* Manufacturer :

**HONEYWELL SAFETY PRODUCTS EUROPE**  
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 13th, 2013

**Update 01 of October 31th, 2016**

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 830FWG

Basic Model

Dated : OCTOBER 2016

Glove dark green 100% PVC with liner of 100% cotton jersey. Coating has non slip surface on hand portion. Rough finish on palm and back.

### Available sizes :

8/M 9/L 10/XL

### Visual description :



### Material :

	Color	Material	Gauges	Thickness
PALM	Dark green	PVC		1.6 - 1.8 mm
	Natural	Silice powder		
BACK	Dark green	PVC		1.6 - 1.8 mm
	Natural	Silice powder		
LINING	Natural	Cotton jersey		
CUFF	Dark green	PVC		1.3 - 1.6 mm

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- \* EN 374-3:2003 - Protection gloves against chemicals and micro-organisms
- \* At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)
- \* This product is a category III (lethal or irreversible risk).



**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC	Other
EN 420	1210-14429/1	
EN 388	1210-14429/1	
EN 374-2	1210-14429/1	
EN 374-3	1301-677/1 1210-14426/B(palm) 1210-14426/C(cuff) 1210-14426/D(palm) 1210-14426/E(cuff)	
OTHER	1210-14429/1 L161017737_1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm

**Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:**

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform
Quality acceptable level	level 2 : < 1,5


This glove is considered as micro-organism resistant.

**Performance levels offered against chemicals (EN 374-3:2003) are:**

Name of chemicals	Méthanol	Soude caustiqu 40%	Acide sulfurique 96%			
Letter code of the product	A	K	L			
Permeation performance levels	2	6	4			

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \*  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- \* reference of the model: 830FWG
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for chemicals risks and micro-organisms risk
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: Trawler King - 830FWG

Reference: 830FWG

Standard(s): EN 374-3, EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/05/13/0410

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 26/09/2018

**By:** Fabrice beaugeard

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)