



PRODUCT NUMBER: RGT15099G
RESISTOP LONG

Handling of sharp parts in automotive and mechanical industries. Assembling operations, removal molds up to 100°C (during 30 seconds maximum).

Honeywell

Overview

Reference Number

RGT15099G

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Industry

- Industry
- Automotive and Part Manufacturer
- Aviation
- Glass Industries
- Logistics
- Paper Industries

Product Use

Handling of sharp parts in automotive and mechanical industries. Assembling operations, removal molds up to 100°C (during 30 seconds maximum).

Features & Benefits

Feature

Knitted glove 73% Polyamide exterior / 27% cotton interior
 Knit cuff, 15cm

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity.
 The glove offers maximum comfort and added sturdiness.
 The glove's cotton interior slows down perspiration and increases comfort.
 The glove's relative thickness helps to absorb shocks.
 Non pilling, the polyamide is suitable for precision work.

RESISTANCE

Polyamide offers outstanding abrasion and cutting resistance.

SAFETY

The cuff helps to protect a large part of the forearm.

HYGIENE

Its grey colour makes the glove more soilproof, thus ensuring a longer last.

Technical Description

Description

CATEGORIE CE : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

EN 407-04 Thermal Hazards

CHARACTERISTICS :

73 % polyamide / 27 % cotton knitted glove

Polyamide outside / cotton inside

Product Technology

Knitted

Gauge

7

Glove/liner color

Grey

Coating Type

Polyamide and cotton

Length

330 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

7 to 9

EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	3
Tear resistance	4
Puncture resistance	X

Packaging Label

Tagging

CE HONEYWELL
RGT15099G XX
EN 420
EN 388 : 234X
EN 407 : X1XXXX

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

N°0075/797/162/09/08/0344

EC Attestation

EC Attestation

EC Attestation Number

N°0075/797/162/09/08/0344

Additional Information

User Manual

UI 106

User Information Sheet

106

Maintenance

Storage Information

Minimum packaging : 10 pairs.
Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Product.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/09/08/0344

To the following model of personal protective equipment :

- * protective glove against mechanical risks, thermal risks.
- * reference of the model : RGT15099G
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Issued by Nadine PIPAZ

Drawn up in Lyon, on September 08th, 2008
Update 02 ~~of~~ June 15th, 2012
4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France
Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupe.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 03

Reference : RGT15099G

Basic Model

Dated : JUNE 2012

5 fingers knitted glove, polyamid/cotton, knitted wrist 15 cm. Overlock; T7-Blue, T9-Red

Available sizes :

07 09

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	grey	Nylon 6 yarn 160dtex/2	7	
	Natural	Cotton yarn Nm 34	7	
	Natural	Cotton yarn Nm17	7	
BACK	grey	Nylon 6 yarn 160dtex/2	7	
	Natural	Cotton yarn Nm 34	7	
	Natural	Cotton yarn Nm17	7	
LINING				
CUFF	grey	Nylon 6 yarn 160dtex/2	7	
	Natural	Cotton yarn Nm 34	7	
	Natural	Cotton yarn Nm17 Elastic Rubber 175	7	
BINDING	Blue /Red	Polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 407:2004 - Protective gloves against thermal risks
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0802-2016/1 1202-2861/1 1202-2863/1	
Azo		1112-16848/1	
EN 388		0802-2016/1 1203-3450/1	
EN 407		0802-2017	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	3	4	X

The levels of performance have been measured on the palm

Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
X	1	X	X	X	X


« X » means that the test hasn't been performed ; no protection is required

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: RGT15099G
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for thermal risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: RESISTOP LONG

Reference: RGT15099G

Standard(s): EN 388, EN 407, EN 420

This PPE is the object of the below EC examination certificate n°:

N°0075/797/162/09/08/0344

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

By: Fabrice Beaugeard

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95988 ROISSY CDG CEDEX
SAS au capital de 200 000 € - N° SIRET 3331 4990 7980
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com