



CODE ARTICLE: 2132251
Vertigo Black PU C&G 1

Manipulations fines en milieux secs ou légèrement gras et salissant. Idéal pour l'assemblage.

Honeywell

Présentation générale

Numéro de référence

2132251

Type de produit

Gants

Gamme

Usage général

Ligne

Travail de précision

Marque

Honeywell

Marque anciennement connue sous le nom de

SPERIAN

Industrie

- Industrie
- Constructeur automobile et équipementier
- Aviation
- Logistique
- Maintenance
- Transport

Utilisation du produit

Manipulations fines en milieux secs ou légèrement gras et salissant. Idéal pour l'assemblage.

Caractéristiques & Avantages

Caractéristique

Gant tricoté 100% Polyamide noir

Enduction polyuréthane noire sur la paume et les bouts des doigts

Avantage

CONFORT

La technique du tricotage permet d'obtenir un gant proche de la main et offre une bonne dextérité.

Le confort est maximal et la solidité accrue.

Le maillage serré rend le gant parfaitement gainant, limite la pénétration des salissures et apporte une bonne tactilité.

Le dos aéré et l'enduction PU optimisent la respirabilité du gant.

RESISTANCE

Le polyamide avec l'enduction polyuréthane apportent de bonnes qualités de résistance à l'abrasion et à la déchirure. L'enduction PU assure un bon grip.

SECURITE

Non pelucheux, le polyamide est adapté aux montages de précision. Les gants sont certifiés "sans silicone" pour permettre l'utilisation de peinture.

HYGIENE

Son coloris noir le rend moins salissant et accroît sa durée de vie.

Descriptif technique

Description

CATEGORIE CE: II Risques intermédiaires

Conforme aux normes :

EN 420-2003 Exigences générales

EN 388-2003 Risques mécaniques

DESCRIPTIF :

Gant tricoté 100% Polyamide noir

Enduction polyuréthane noire sur la paume et les bouts des doigts

Technologie des produits

Tricoté enduit

Calibre

13

Couleur de gant/doublure

Noir

Type de revêtement

Polyamide et polyuréthane

Longueur

25 cm

Innocuité

Conforme aux Normes Européennes

Dextérité

Classe 5

Tailles

7 à 10

EN 388 - Résistance à l'abrasion des dangers mécaniques

Résistance à l'abrasion	4
Résistance à la coupure (Coupe test)	1
Résistance au déchirement	3
Résistance à la perforation	1

Étiquette d'emballage

Étiquetage

CE HONEYWELL

2132251 XX

EN 420

EN 388 : 4131

Certifications

Déclaration de conformité CE

EPI catégorie CE

2

Assurance qualité

ISO 9001 / 2000

Numéro de certificat CE

0075/797/162/11/06/0281

Attestation CE

EC Attestation

Numéro d'attestation

0075/797/162/11/06/0281

Informations complémentaires

Manuel d'utilisation

UI 102

Fiche d'informations sur l'utilisateur

102

Maintenance

Information de stockage

Conditionnement minimal : 10 paires

Carton de 100 paires.

Instructions d'entretien

Nettoyage possible auprès d'une laverie industrielle.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/11/06/0281 - EXT 03/01/11

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 21 322 51
- * responsible for placing on the market :


HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 24th, 2011
Update 02 of December 04th, 2015

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 03
 Reference : 21 322 51
 Minor Variant of the model :21 002 50
 Dated : November 2015

Knitted glove with black Nylon yarn. PU coating on the palm and fingertips. + overlock:T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11-orange,

Available sizes :

06 07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	black	Nylon	13	
	black	Polyurethane		0,9mm
BACK	black	Nylon	13	
LINING				
CUFF	black	Nylon	13	
	black	Elastic Rubber	13	
BINDING	green/red/blue /yellow/white/ Orange	Polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1202-2852/1 L151015337_1 L150913115_1 L151016657_1 L150913133_1 L150913115_1	
Azo		1209-13247/1 1111-16377/2 L150609368_1 L151118439_1 L150913115_1 L150914842_1	
EN 388		L150913133_1 L151118439_1	1106-7634/1 1106-9075/1 1202-2852/1 L150914842_1 L150913115_1

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1

The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 21 322 51
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	21 322 51
Technical file index	:	03
Last update	:	November 2015

IDENTIFICATION

Reference of the product :	:	21 322 51
Minor Variant of the model :	:	21 002 50
Technical file index :	:	03
Last update :	:	November 2015

CE Type Examination Applicant :

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

Manufacturer :

XIN ZHU (H.K.) CO

FLAT D 8/F INTERNATIONAL INDUSTRY CENTRE 2-8 KWEI TEI STEET HONG
KONG

CHINE

tel: +86-755-84718888

fax: +86-755-84718889

SPERIAN PERSONAL PROTECTIVE EQUIPMENT (Nantong) Co. LTD
Tonghu Road, Rudong Industrial New area - Nantong City - Jiangsu Province
CHINA

tel: + 86-513-8456999

fax: +86-513-84536318

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.

North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong

China

GLOVE DESCRIPTION

Glove description :

Knitted glove with black Nylon yarn. PU coating on the palm and fingertips. + overlock: T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11-orange,

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
220	06
230	07
240	08
250	09
270	10
275	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM	2915107	black	Nylon		13	
	2916155	black	Polyurethane			0,9mm
BACK	2915107	black	Nylon		13	
LINING						
CUFF	2915107	black	Nylon		13	
	2915163	black	Elastic Rubber		13	
BINDING	2915151	green/red/ blue/yello w/white/ Orange	Polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		1202-2852/1 L151015337_1 L150913115_1 L151016657_1 L150913133_1 L150913115_1	
Azo		1209-13247/1 1111-16377/2 L150609368_1 L151118439_1 L150913115_1 L150914842_1	
EN 388			1106-7634/1 1106-9075/1 1202-2852/1 L150914842_1 L150913115_1

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo

Glove's reference : 21 322 51

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

On a label inside the glove

Packaging :

10 pairs per bundles / 10 bundles per box

MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1
Major defects : NQA = 1,5 / Minor defects : NQA = 10.

Sampling Plan		Quantity of acceptable defects	
<i>Lot Quantity</i>	<i>Sample quantity</i>	<i>Minor Defects</i>	<i>Major Defects</i>
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5



Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Products Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: Vertigo Black PU C&G 1

Référence: 2132251

Norme(s): EN 388, EN 420

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

0075/797/162/11/06/0281

Délivré par:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Fait en Lyon, le 18/12/2018

Par: Fabrice beaugeard

Division: Gants

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Roissy CDG CEDEX
SAS au capital de 1000000000 - RCS ROISSY CDG CEDEX
Tel: +331 4990 7979 Fax: +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com