

CODICE PRODOTTO: 2000044
Blue Welding

Honeywell



Presentazione generale

Reference Number

2000044

Gamma

Protezione termica

Line

Guanti per saldatura

Marchio

Honeywell

Marchio precedentemente noto come

SPERIAN

Settore

- Industria siderurgica
- Acciaio inox
- Saldatura
- Cantieri navali
- Industria generica
- Industria meccanica / metalmeccanica
- Edilizia e Costruzioni

Utilizzo del prodotto

Guanto in pelle crosta anticalore, assemblaggio americano, pollice inserito, colore blu. Interamente foderato; manichetta in crosta anticalore. Ideale per la saldatura.

Descrizione tecnica

Descrizione

Conforme alle seguenti norme : EN 420-94 EEC Criteri generali EN 388-94 Rischi meccanici EN 407-94 Protezione rischi termici EN 12 477-2000 Protezione per saldatori CARATTERISTICHE Guanto a 5 dita, resistente al calore, di colore blu. Assemblaggio americano. Pollice inserito. Crosta bovina tagliata e cucita (1.2/1.4 mm). Fodera interna in cotone. Rinforzo intorno al pollice, le punte delle dita e le cuciture intorno alla mano. Manichetta di 140 mm in crosta bovina con tela. INNOCUITA' Conforme alle norme europee.

Tecnologia del prodotto

Tagliati e cuciti

Lunghezza

340 mm

Spessore

1,2 / 1,4 mm

Innocuità

In conformità con le norme europee

Presa

Classe 4

EN 407 - Heat and/or Fire

Comportamento e/o incendio	4
Resistenza al calore da contatto	1
Resistenza al calore convettivo	3
Resistenza al calore radiante	X
Resistenza a piccoli schizzi di metallo	4
Resistenza a schizzi di metallo fuso	X

EN 388 - Mechanical Hazards Abrasion Resistance

Resistenza all'abrasione	3
Resistenza al taglio (test taglio)	1
Resistenza alle lacerazioni	3
Resistenza alla perforazione	2

Certificazioni

Dichiarazione di conformità CE

Categoria DPI

2

Quality Assurance

ISO 9001 / 2000

Numero certificazione CE

0075/797/162/01/08/0010

Attestato CE

EC Attestation

Numero attestato CE

0075/797/162/01/08/0010

Informazioni aggiuntive**User Manual**

UI 111

Tabella di controllo utente

111

Manutenzione

Istruzioni per la cura

Il guanto, per conservare le proprietà meccaniche, non deve essere lavato.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgrroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/08/0010

To the following model of personal protective equipment :

- * protective glove against welding risks , low chemical risks.
- * reference of the model : 20 000 44
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 11th, 2008

Update 03 of June 15th, 2012

Issued by Nadine PIPAZ

4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of phone number, etc) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work. Tel. +33(0)4 72 76 10 10 Fax +33(0)4 72 72 76 10 00 www.ctcgrroupe.com

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04

Reference : 20 000 44

Basic Model

Dated : JUNE 2012

5 fingers glove in blue split leather, lining with cotton padding + Canvas cotton black in the cuff side

Available sizes :

09 10

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Blue	Cowhide split leather		1,2/1,4mm
	Natural	Cowsplit leather-finition rush		
BACK	Blue	Cowhide split leather		1,2/1,4mm
LINING	Natural	Fleece cotton in the palm		
CUFF	Blue	Cowhide split leather		1,2/1,4mm
	Black	Cotton canvas in the cuff		
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 407:2004 - Protective gloves against thermal risks
- * EN 12477:2001/A1:2005 - Protective gloves for welders
- * Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1107-10380/1	
Azo		1102-2238/1 1107-10380/1	
EN 388		1104-5706/1	
EN 374-2			
EN 407		1104-5706/1 1104-5709/1 1104-5709/2	1102-2238/1 1104-5706/1

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	3	2

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
4	1	3	X	4	X

"X" means that the test hasn't been performed ; no protection is required

Performance levels offered for welders (EN 12477:2001 / A1 :2005) are:


In conformity with type A : Is recommended for applications whithout high dexterity

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 20 000 44
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals risks
- * pictogram for thermal risks followed by the performance levels
- * reference of the standard for welding glove and the type required
- * information pictogram

Marking example:





Dichiarazione di conformità CE

Il produttore o il suo rappresentante legale nella CE:

Honeywell Safety Products Europe

Dichiara che il Dispositivo di protezione individuale qui descritto è conforme alle Direttive Europee 89/686/CEE:

Designazione: Blue Welding

Riferimento: 2000044

Normative: EN 12477, EN 388, EN 407, EN 420

Questo Dispositivo di protezione individuale è l'oggetto della certificazione CE riportata di seguito:

0075/797/162/01/08/0010

Consegnata da:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Redatta in Lyon, in data 29/08/2018

Per: Fabrice beaugeard

Divisione: Guanti

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Roissy CDG CEDEX
95958 ROISSY CDG CEDEX
SAS au capital de 1000000000 € - N° 982 307 00187
Tel: +33 1 49 90 79 79 Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com