

CODICE PRODOTTO: 2095020
POWERCOAT® 950-20
NEOFIT

Honeywell

Presentazione generale

Reference Number

2095020

Tipo di prodotto

Guanti

Gamma

Protezione chimica

Line

Rischio chimico

Marchio

Honeywell

Marchio precedentemente noto come

SPERIAN

Settore

- Agricoltura
- Industria meccanica / metalmeccanica
- Edilizia e Costruzioni
- Industria chimica e farmaceutica
- Pulizia Industriale
- Manutenzione
- Petrolchimica
- Trattamento delle acque - Municipalizzate
- Industrie del legno

Utilizzo del prodotto

Protezione contro un'ampia gamma di prodotti chimici (detergenti, alcuni solventi, sostanze acide e basiche).

Funzioni e vantaggi

Caratteristiche

Guanto in neoprene nero senza fodera. Interno in cotone floccato. Rifiniture a diamante. Spessore: 0.60 mm. Lunghezza: 33cm.

Vantaggi

CONFORT Il neoprene offre grande flessibilità. L'interno in cotone floccato dona all'utilizzatore un confort ottimale e rende più facile l'inserimento del guanto- Le rifiniture a diamante permettono una presa migliore in ambienti asciutti. RESISTENZA Il neoprene offre una buona protezione contro i rischi chimici e meccanici. E' resistente alle sostanze acide, basiche e solventi e gli adesivi industriali. E' ideale per un'ampia gamma di sostanze chimiche. SICUREZZA Categoria III - guanto a qualità costante. La manichetta aiuta a proteggere gran parte dell'avambraccio.

Descrizione tecnica

Descrizione

Guanto in neoprene senza fodera. Interno in cotone floccato. Rifiniture a diamante.

Tecnologia del prodotto

Guanti ad immersione

Lunghezza

33

Spessore

0.72 mm

Innocuità

In conformità con le norme europee

Presa

Classe 5

EN 388 - Mechanical Hazards Abrasion Resistance

Resistenza all'abrasione	3
Resistenza al taglio (test taglio)	1
Resistenza alle lacerazioni	1
Resistenza alla perforazione	0

EN 374-3 Resistance to

Resistenza alla permeazione da sostanze chimiche	AKL
--	-----

Packaging Label

etichettatura

CE HONEYWELL

2095020 XX

EN 420

EN 388 : 3110

EN 374-3 : AKL

Certificazioni

Dichiarazione di conformità CE

Categoria DPI

3

Numero certificazione CE

0075/797/162/12/08/0487

Attestato CE

EC Attestation

Numero attestato CE

Informazioni aggiuntive

User Manual

UI 104

Tabella di controllo utente

104

Manutenzione

Istruzioni per la cura

Questo guanto, per conservare le sue proprietà, non deve essere lavato.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/12/08/0487

To the following model of personal protective equipment :

- * protective glove against mechanical risks, high chemical risks
- * reference of the model : 20 950 20
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on December 08th, 2008
Update 01 of September 14th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 20 950 20

Basic Model

Dated : SEPTEMBER 2012

5 fingers glove Polychloroprene, cotton flocked. Diamond finishing

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Black	Polychloroprene		0,72 mm
BACK	Black	Polychloroprene		0,72 mm
LINING	Natural	Cotton flocked		0,72 mm
CUFF	Black	Polychloroprene		0,72 mm
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 374-3 : 2003 - Protection gloves against chemicals and micro-organisms
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

This product is a category III (lethal or irreversible risk), this glove offers a high chemical protection.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1202-2845/1	1112-16941/1
EN 388		0703-2934/1 1101-770/1 1202-2845/1 1205-6442/1	
EN 374-2		1101-770/1	
EN 374-3		0711-12029/1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	1	0

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:


Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	Methanol	Caustic Soda 40%	Sulfuric acid 96%			
Letter code of the product	A	K	L			
Permeation performance levels	3	6	3			

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- *  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: 20 950 20
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals risks
- * information pictogram

Marking example:





Dichiarazione di conformità CE

Il produttore o il suo rappresentante legale nella CE:

Honeywell Safety Products Europe

Dichiara che il Dispositivo di protezione individuale qui descritto è conforme alle Direttive Europee 89/686/CEE:

Designazione: POWERCOAT ® 950-20 NEOFIT

Riferimento: 2095020

Normative: EN 374-3, EN 388, EN 420

Questo Dispositivo di protezione individuale è l'oggetto della certificazione CE riportata di seguito:

0075/797/162/12/08/0487

Consegnata da:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Redatta in Lyon, in data 27/09/2018

Per: Nadine Pipaz

Divisione: Guanti

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 17 750 000 € - Siret 348 882 307 00137
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com