





Product Family TRICONYL

Knitted gloves in polyamide for precision work.

Honeywell

Product Numbers & Ordering Information		
	Product Numbers	Details
W W	2232098	TRICONYL FIT 100% polyamide lightweight knitted. Minor risk. (Sizes 7 to 10)
**	RGT020	TRICONYL 100% polyamide lightweight knitted. (Sizes 6 to 10)
# 4	RGT820	TRICONYL GRIP 100% polyamide lightweight knitted. PVC dots on palm. (Sizes 7 to 10)
44	2232420	TRICONYL MICRODOTS 100% polyamide lightweight knitted. Small PVC dots on palm. Minor risk. (Sizes 6 to 10)
# 111	RGT820M	TRICONYL MITT 100% polyamide lightweight knitted mitten. PVC dots on palm. (Sizes 7, 9)
The state of	2232097	TRICONYL LONG 100% polyamide lightweight knitted. Minor risk. Long knitted wrist. (Sizes 7, 9)



K311

Dots Grip

Handling of dry and slippery parts.



K211

Dots Grip

Handling of dry and slippery parts.

Additional Information

For minimum order quantities, please contact our local office. To access the test data of each reference, please refer to the technical specification documents located in each SKU.

Overview

Key Features

The triconyl line features lightweight knitted 100% polyamide gloves. Version with PVC dots or without.

COMFORT

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch. Non pilling, the polyamide fabric is suitable for the agrifood industry as well as for precision work. The PVC dots ensure a better grip.

HYGIENE

The white colour enhances the glove's hygiene and cleanliness.

Recommended Industries/Use

• Manufacturing • Pharmaceutical • Transportation • Wind Energy

Hazards

Slip

Regulations

- EN 420-2003 General requirements
- EN 388-2003 Mechanical risks

Historical Brand

Riby

Warranty Information

Honeywell Safety Products warrants that it's Honeywell Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenence, use or misuse of the product.

Specifications

Materials

Polyamide

Coatings

PVC dots

Gauge

• Light (13)

Maintenance / cleaning

• These articles can be cleaned. For cleaning instructions, please contact Honeywell Safety Products

Storage information

• Keep gloves in their original packaging in a cool, dry, dust-free, away from sources of heat and direct light.

TRICONYL

Training & Proper Use

Do not use these products against thermal or chemical risks.

Additional Information

User instructions n° 101 (Minor risks) and n°102 (EN388 tested)

Technical Support

UK: uksales@honeywell.com

Export: info-export.hsp@honeywell.com France: info-france.hsp@honeywell.com Germany: info-germany.hsp@honeywell.com

Italy: info-italia.hsp@honeywell.com
Spain: info-spain.hsp@honeywell.com
Nordics: info-nordic.hsp@honeywell.com
Benelux: info-benelux.hsp@honeywell.com
Poland: info-poland.hsp@honeywell.com
Hungary: info-hungary.hsp@honeywell.com
Russia: info-russia.hsp@honeywell.com

© Honeywell International Inc.