



PRODUCT NUMBER: 2332214

PERFECT CUTTING®

DIAMOND NIT

Handling sharp parts in a greasy or oily environment.

Honeywell

Overview

Reference Number

2332214

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

Product Use

Handling sharp parts in a greasy or oily environment.

Features & Benefits

Feature

Dyneema® Diamond/lycra®/ black polyamide knitted glove

Black nitrile foam coating on palm and fingers

Red Elastic wrist

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Dyneema® diamond touch gives an added sensation of comfort.

The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The glove's ventilated back optimises its breathability.

RESISTANCE

The Dyneema® diamond/lycra®/polyamide thread provides outstanding properties against cuts.

The nitrile foam coating at the palm and fingertips provides outstanding abrasion resistance.
 Caution! Do not expose this glove to the heat.

HYGIENE

Its dark coating and liner enables work in a slightly soiled environment.

Technical Description

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

CHARACTERISTICS : Dyneema® Diamond/lycra®/ black polyamide knitted glove

Black nitrile foam coating on palm and fingers

Red Elastic wrist

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

Salt and pepper

Coating Type

Nitrile foam

Length

25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4
Puncture resistance	3

Packaging Label

Tagging

CE Honeywell

2332214 XX

EN 420

EN 388 : 4543

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/10/14/1084

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/10/14/1084

Photos & Images

PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/79c05abaff2c4d80b138c66dd50b74d5.jpg>

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/10/14/1084

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 23 322 14

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on October 23th, 2014

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 23 322 14

Basic Model

Dated : October 2014

5 fingers knitted glove, with dyneema diamond/elasthan/polyamid yarns. Nitrile foam coating on the palm and fingertips. T7- Red / T8-Blue / T9-Yellow / T10 - White / T11- Orange.

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	black & white	Dyneema Diamond 440d/elasthan/polyamid noir	13	
	black	Nitrile foam non breathable		
BACK	black & white	Dyneema Diamond 440d/elasthan/polyamid noir	13	
LINING				
CUFF	Red	Elastic yarn	13	
	black & white	Dyneema Diamond 440d/elasthan/polyamid noir	13	
BINDING	red,blue,yellow, white ,orange	PES binding		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1405-8512/1 1402-3502/1	
Azo		1008-10045/2 1402-3502/1	
EN 388		1405-8512/1 1402-3502/1	1106-7634/1

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 23 322 14
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: PERFECT CUTTING® DIAMOND NIT

Reference: 2332214

Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/10/14/1084

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

By: Nadine Pipaz

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 17 750 000 € - Siret 348 892 307 00137
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com