



PRODUCT NUMBER: 2332545
Check & Go Green PU 5

Handling sharp parts in a dry or greasy environment.

Honeywell

Overview

Reference Number

2332545

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

Product Use

Handling sharp parts in a dry or greasy environment.

Helps to provide safety managers with visual recognition of the cut protection level

Features & Benefits

Feature

Knitted glove in HPPE polyamide and composite fiber.

Grey Green PU coating on palm

Color: White & green

Gauge 13

Length: 25 cm.

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool HPPE touch gives an added sensation of comfort.

The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The glove's ventilated back optimises its breathability.

RESISTANCE

The HPPE/lycra® thread provides outstanding properties against cuts.
 The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.
 The composite fiber fully protected by polyamide increase the cut resistance.
 Caution! Do not expose this glove to the heat.

SAFETY

Color coding on top of the hand and coating color helps safety manager and workers to visually recognize the level of cut protection.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-2003 EEC Basic standards
 EN 388-2003 Mechanical hazards

CHARACTERISTICS : Knitted glove in HPPE polyamide and composite fiber.
 Green PU coating on palm.
 Color: White & green
 Gauge 13.
 Length: 25 cm.

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

White and green

Coating Type

HPPE / polydamide /composite fiber and lycra®

Length

25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4
Puncture resistance	3

Packaging Label

Tagging

CE HONEYWELL
 2332545 XX
 EN 420
 EN 388 : 4543

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/07/11/0385 EXT 02/04/13

EC Attestation

AET 2332545 Honeywell 2013

EC Attestation Number

0075/797/162/07/11/0385 EXT 02/04/13

Photos & Images

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned at 40°C without risk of damaging the mechanical performances.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/07/11/0385 - EXT 02/04/13

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 23 325 45

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on April 09th, 2013

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : 23 325 45
 Minor Variant of the model :21 325 45
 Dated : APRIL 2013

Knitted glove with Dyneema / fiber glass / Polyester yarns. Green PU coating on the palm and finger tips.
 Overlock:T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11-Orange

Available sizes :

06 07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	white	Dyneema / fiber glass / Polyester / Elastane	13	
	Green	PU		0,9-1 mm
BACK	white	Dyneema / fiber glass / Polyester / Elastane	13	
LINING				
CUFF	white	Fiber Glass/Polyester	13	
	Natural	Elastic Rubber	13	
BINDING	Green/Red/Blue/Yellow/White/Orange	Polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1106-8102/1 1302-2681/1	
Azo		1008-10045/2 1103-3586/1 1302-2681/1	
EN 388		1103-3584/2 1302-2681/1	1106-7634/1 1302-2681/1

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 23 325 45
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Check & Go Green PU 5

Reference: 2332545

Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/07/11/0385 EXT 02/04/13

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Roissy, on the 17/12/2018

By: Fabrice beaugeard

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95988 ROISSY CDG CEDEX
SAS au capital de 200 000 € - N° SIRET 3331 4990 7980
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com