



PRODUCT NUMBER: 860FWG
Trawler King - 860FWG

Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.

Honeywell

Overview

Reference Number

860FWG

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

NORTH

Industry

- Agriculture
- Automotive and Part Manufacturer
- Chemical Industries
- Petro-chemical
- Water treatment

Product Use

Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry.

Features & Benefits

Feature

Green PVC glove Dipped on cotton liner Rough finish

Benefit

COMFORT The cotton interlock lining strengthens the glove's mechanical performance while absorbing hand perspiration for added comfort. The rough powdered finish considerably improves the glove's grip and grasping of objects in a greasy or damp environment. The glove's articulated fingers offer superior comfort and reduce effort in cases of extended use. RESISTANCE PVC composition has been tailored for multi-purpose and repetitive handling in an oily atmosphere. The cotton interlock lining strengthens the glove's mechanical performance. Low resistance to ketones, aromatic and halogene hydrocarbons. SAFETY Superior quality PVC, PPE Class III, ensures excellent quality. The cuff helps to protect a large part of the forearm.

Technical Description

Description

Green PVC glove Dipped on cotton liner Rough finish

Product Technology

Dipped

Glove/liner color

Green

Coating Type

PVC

Length

40 cm

Thickness

1,6 mm

Harmlessness

In conformity with the European standards.

Dexterity

Class 4

Sizes

8M, 9L, 10XL

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

EN 374-3 Resistance to

Resistance to permeation by chemicals	AKL
---------------------------------------	-----

Packaging Label

Tagging

CE0075 Honeywell 860FWG XX EN 420 EN 388 : 4121 EN 374-3 : AKL

Certifications

E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

(0075/797/162/05/13/0410 EXT03/03/13)

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/05/13/0410 EXT02/05/13

Certifications

- EN (0075/797/162/05/13/0410 EXT03/03/13)

Additional Information

User Manual

UI 104

Maintenance

Storage Information

Minimum packaging : 12 pairs Cartons of 72 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

EC-TYPE EXAMINATION CERTIFICATE 0075/797/162/05/13/0410 - EXT 03/06/13

To the following model of personal protective equipment :

- * reference of the model : 860FWG
- * protective glove against mechanical risks and high chemical risks.
- * Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on June 18th, 2013
Update 01 of October 31th, 2016

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 860FWG

Minor Variant of the model :830FWG

Dated : OCTOBER 2016

Glove dark green 100% PVC with liner of 100% cotton jersey. Coating has non slip surface on hand portion.

Available sizes :

8 M 9 L 10XL

Visual description :



Material :

	Color	Material	Gauges	Thickness
PALM	Dark green	PVC		1.6 - 1.8 mm
	Natural	Silice powder		
BACK	Dark green	PVC		1.6 - 1.8 mm
	Natural	Silice powder		
LINING	Natural	Cotton jersey		
CUFF	Dark green	PVC		1.3 - 1.6 mm

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 374-3:2003 - Protection gloves against chemicals and micro-organisms
- * At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)
- * This product is a category III (lethal or irreversible risk).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	1210-14429/1 1305-8534/1	
EN 388	1210-14429/1	
EN 374-2	1210-14429/1	
EN 374-3	1301-677/1 1210-14426/B(palm) 1210-14426/C(cuff) 1210-14426/D(palm) 1210-14426/E(cuff)	
OTHER	1210-14429/1 L161017737_1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform
Quality acceptable level	level 2 : < 1,5

This glove is considered as micro-organism resistant.

Performance levels offered against chemicals (EN 374-3:2003) are:

Name of chemicals	Méthanol	Soude caustiqu 40%	Acide sulfurique 96%			
Letter code of the product	A	K	L			
Permeation performance levels	2	6	4			



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:
Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Trawler King - 860FWG

Reference: 860FWG

Standard(s): EN 374-3, EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:
(0075/797/162/05/13/0410 EXT03/03/13)

Delivered by:

CENTRE TECHNIQUE DU CUIR
4 rue Hermann Frenkel
69367 LYON Cedex 07
France

Drawn up in Lyon, on the 26/09/2018

By: Fabrice beaugeard

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95988 ROISSY CDG CEDEX
SAS au capital de 200 000 € - RCS 331 499 079 80
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com