



**PRODUCT NUMBER: RGT099V**  
**RESISTOP GREEN**

Handling of sharp parts in automotive and mechanical industries. Assembling operations, removal of molds up to 100°C (during 30 seconds maximum).

**Honeywell**

## Overview

**Reference Number**

RGT099V

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Glass Industries
- Logistics
- Paper Industries

**Product Use**

Handling of sharp parts in automotive and mechanical industries. Assembling operations, removal of molds up to 100°C (during 30 seconds maximum).

## Features & Benefits

**Feature**

73% polyamide / 27% cotton knitted glove

Knit cuff, 7cm

Ambidextrous

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity.

The glove offers maximum comfort and added sturdiness.

The glove's cotton interior slows down perspiration and increases comfort.

The glove's relative thickness helps to absorb shocks.

Non pilling, the polyamide is suitable for precision work.

**RESISTANCE**

Polyamide offers outstanding abrasion and cutting resistance.

**HYGIENE**

Its green colour makes the glove more soilproof, thus ensuring a longer last.

## Technical Description

**Description**

CATEGORIE CE : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

EN 407-04 Thermal Hazards

**CHARACTERISTICS :**

73 % polyamide / 27 % cotton knitted glove

7 cm knitted wrist

Ambidextrous

**Product Technology**

Knitted

**Gauge**

7

**Glove/liner color**

Green

**Coating Type**

Polyamide and cotton

**Length**

255 mm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

7 to 10

### EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	3
Tear resistance	4
Puncture resistance	X

### Packaging Label

**Tagging**

CE HONEYWELL  
RGT099V XX  
EN 420  
EN 388 : 234X  
EN 407 : X1XXXX

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### EC Certificate Number

N°0075/797/162/09/08/0345 ext 02/09/08

#### EC Attestation

EC Attestation

#### EC Attestation Number

N°0075/797/162/09/08/0345 ext 02/09/08

## Additional Information

### User Manual

UI 106

### User Information Sheet

106

## Maintenance

### Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

### Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/09/08/0345 - EXT 02/09/08

To the following model of personal protective equipment :

\* protective glove against mechanical risks, thermal risks.

\* reference of the model : RGT099V

\* responsible for placing on the market :

### HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on September 08th, 2008

Update 02 of June 20th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 03  
 Reference : RGT099V  
 Minor Variant of the model :RGT099  
 Dated : JUNE 2012

Knitted glove with polyamid/cotton yarn. T07/Blue T08/Red T09/Yellow T10/Green

### Available sizes :

07 08 09 10

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	Green	nylon yarn 6	7	
	Natural	cotton yarn	7	
	Natural	cotton yarn Nm17	7	
BACK	Green	nylon yarn 6	7	
	Natural	cotton yarn	7	
	Natural	cotton yarn Nm17	7	
LINING				
CUFF	Green	nylon yarn 6	7	
	Natural	cotton yarn	7	
	Natural Natural	cotton yarn Nm17 elastic rubber	7	
BINDING	Blue/yellow/ Red/Green	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 407:2004 - Protective gloves against thermal risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1201-807/1 1201-808/1 1202-1795/1	
Azo		1112-16848/1 1201-837/1	
EN 388		1201-808/1	
EN 407		0902-1986 1202-1795/1	1201-837/1

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	3	4	X

**Performance levels offered against thermal risks (EN 407:2004) are:**

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
X	1	X	X	X	X


« X » means that the test hasn't been performed ; no protection is required

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: RGT099V
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for thermal risks followed by the performance levels
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: RESISTOP GREEN

Reference: RGT099V

Standard(s): EN 388, EN 407, EN 420

**This PPE is the object of the below EC examination certificate n°:**

N°0075/797/162/09/08/0345 ext 02/09/08

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/12/2018

**By:** Fabrice Beaugeard

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)