

PRODUCT NUMBER: 2232270 Vertigo Black NIT C&G 1

Handling of fine products in a greasy, damp or dirty atmosphere. General handling of building and public works,

mechanical handling in the automotive industry.

Honeywell

Overview Reference Number 2232270 **Product Type** Gloves Range General purpose Line Light & medium handling Brand Honeywell Brand formerly known as **SPERIAN** Industry Automotive and Part Manufacturer Aviation Building and Construction Energy or Electricity Iron and steel industry Maintenance Metal steel Minning and Quarrying Petro-chemical Services Ship Building Telecoms Transportation Utilities Water treatment Wood Industries

Product Use

Handling of fine products in a greasy, damp or dirty atmosphere. General handling of building and public works, mechanical handling in the automotive industry.

Features & Benefits

Feature

Black polyamide knitted glove Black foam nitrile coating on palm and fingertips Elastic knitted wrist

Benefit

COMFORT

The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and

Page 1 Of 3 © Honeywell International Inc. Q

Vertigo Black NIT C&G 1 - 2232270

durability, superior comfort and ventilation.

With their ergonomical design the gloves conform to the the natural shape of the hand for a more comfortable fit and enable longer use and less fatigue.

RESISTANCE

The filament yarn reduces linting for the most sensitive applications and can be easily laundered for extended use. The foam nitrile coating provides superior and excellent grip and abrasion resistance.

HYGIENE

The black color makes the glove less dirty. The open back provides superior ventilation.

Technical Description

Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-2003 Basic standards EN 388-2003 Mechanical hazards

CHARACTERISTICS :

Black polyamide knitted glove Black foam nitrile coating on palm and fingertips Elastic knitted wrist

Product Technology

Knitted Coated

Gauge 13

Glove/liner color Black

Coating Type Polyamide and nitrile

Length 24.5 cm

Harmlessness In conformity with the European standards.

Dexterity

Class 5

Sizes

6 à 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

Packaging Label

 Tagging

 CE Honeywell

 2232270 XX

 EN 420

 EN 388 : 4121

Certifications

E.C. Declaration of Conformity

EC Category PPE

Quality Assurance ISO 9001 / 2000

EC Certificate Number 0075/797/162/05/07/0193

EC Attestation EC Attestation

EC Attestation Number 0075/797/162/05/07/0193

Additional Information

User Manual UI 102

User Information Sheet 102

Maintenance

Storage Information Minimum packaging : 10 pairs. Cartons of 100 pairs.

Care Instructions This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

СТС

4,rue Hermann Frenkel - 69367 Cedex 07 - France Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/05/07/0193

To the following model of personal protective equipment

* protective glove against mechanical risks.

* reference of the model : 22 322 70

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 05 Reference : 22 322 70 Basic Model Dated : JUNE 2012

Knitted black polyamid glove with black nitril foam coating on palm and fingertips. The overlock color indicate the size : T06-Green, T07-Red, T08-Blue, T09-Yellow, T10-White, T11-Orange.

Available sizes :



Visual description :



Material:

	Colour	Material	Gauges	Thikness
PALM	Black	Polyamid yarn	13	
	Black	Nitril		1,1mm
BACK	Black	Polyamid yarn	13	1
LINING				
CUFF	Black	Polyamid yarn	13	0
	Black	Elastic Rubber	13	
BINDING	green/red/blue /yellow/white	PES		



Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009
- * EN 388:2003
- * Innocuousness
- General requirements for gloves and test methodsProtective glove against mechanical risks
- At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1111-16377/2	
Azo		1008-10045/2 1111-16377/2	
EN 388		0703-3423 1001-629/1 1006-8285/1 1111-16377/2	1106-7634/1 1111-16377/2

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1


The levels of performance have been measured on the palm



Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * C E marking
- * reference of the model: 22 322 70
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

<u>The manufacturer or its legal representative supplier in the European Community:</u> Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE: Designation: Vertigo Black NIT C&G 1 Reference: 2232270 Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°: 0075/797/162/05/07/0193

Delivered by: CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 LYON Cedex 07 France

Drawn up in Lyon, on the 17/12/2018 **By**: Fabrice beaugeard **Division**: Gloves



Zl Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com